

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS5001	Shock	—	—	LS37	LS37	13.25"	21.01"	7.76"	—	P00816
RS5005	Shock	—	—	L2	LS39	17.39"	29.05"	11.66"	—	None
RS5006	Shock	—	—	L1	L1	11.75"	17.96"	6.21"	—	P00915,P01057
RS5007	Shock	—	—	LS26	L1	14.9"	24.31"	9.41"	—	None
RS5008	Shock	—	—	L1	L1	13.77"	22.06"	8.29"	—	P00915,P01057
RS5009	Shock	—	—	LS38	S4	15.68"	26.31"	10.63"	—	P01134
RS5010	Shock	—	—	L1	L1	15.9"	26.27"	10.37"	—	P00915,P01057,P00920
RS5012	Shock	—	—	L1	L1	19.02"	32.57"	13.55"	—	P00915,P00934
RS5014	Shock	—	—	S4	S4	14.69"	24.82"	10.13"	—	P01134
RS5017	Shock	—	—	LS38	S4	15.18"	25.3"	10.12"	—	P01135
RS5029	Shock	—	—	LS26	S42	9.68"	14.3"	4.62"	—	P01135
RS5034	Shock	—	—	L1	L1	20.14"	34.01"	13.87"	—	P00915,P01013
RS5036	Shock	—	—	L1	L1	21.15"	36.05"	14.9"	—	P00915,P01013
RS5039	Shock	—	—	L1	S4	9.69"	14.31"	4.62"	—	P01134,P01013
RS5040	Shock	—	—	LS23	S4	13.93"	22.32"	8.39"	—	P01134
RS5041	Shock	—	—	LS23	S4	13.27"	21.36"	8.09"	—	P01134
RS5042	Shock	—	—	LS47	S5	13.86"	20.8"	6.94"	—	P01167
RS5043	Shock	—	—	LS47	S5	15.1"	23.28"	8.18"	—	P01167
RS5044	Shock	—	—	LS92	S5	15.86"	24.78"	8.92"	—	P01167
RS5045	Shock	—	—	LS26	L1	19.84"	33.82"	13.39"	—	None
RS5046	Shock	—	—	LS26	L1	16.48"	27.12"	10.64"	—	None
RS5047	Shock	—	—	LS26	L1	18.61"	31.39"	12.78"	—	None
RS5048	Shock	—	—	LS92	S5	16.77"	26.69"	9.92"	—	P01167
RS5056	Shock	—	—	LS92	LS92	18.84"	31.97"	13.13"	—	None
RS5111	Shock	—	—	L2	L2	13.03"	20.34"	7.31"	—	None
RS5112	Shock	—	—	L1	L1	16.15"	26.36"	10.21"	—	P00913,P00915
RS5113	Shock	—	—	L1	L1	13.03"	20.34"	7.31"	—	P00916
RS5114	Shock	—	—	L2	L2	15.28"	24.68"	9.4"	—	P00939
RS5115	Shock	—	—	L1	S4	13.05"	20.67"	7.62"	—	P01134,P00910
RS5116	Shock	—	—	L1	L1	14.9"	24.02"	9.12"	—	P00916
RS5117	Shock	—	—	L1	S4	12.06"	18.7"	6.64"	—	P01134,P00910
RS5118	Shock	—	—	L1	L1	14.15"	22.29"	8.14"	—	P00912,P00915,P01013
RS5119	Shock	—	—	L1	L1	11.77"	18.03"	6.26"	—	P00916,P00925
RS5120	Shock	—	—	LS36	L1	9.9"	14.15"	4.25"	—	P00915,P00916
RS5123	Shock	—	—	LS39	LS39	11.77"	18.03"	6.26"	—	None
RS5124	Shock	—	—	LS47	XP7	14.86"	23.67"	8.81"	—	None
RS5125	Shock	—	—	LS26	L1	14.14"	22.28"	8.14"	—	None
RS5126	Shock	—	—	LS26	L1	16.14"	26.36"	10.22"	—	None
RS5128	Shock	—	—	XP5	S4	13.05"	21.03"	7.98"	—	P00941,P01136
RS5129	Shock	—	—	L1	XP12	12.9"	20.03"	7.13"	—	None
RS5132	Shock	—	—	L1	L1	16.15"	26.36"	10.21"	—	P00911
RS5134	Shock	—	—	L1	L1	19.15"	32.7"	13.55"	—	P00915,P00934
RS5136	Shock	—	—	L1	S4	11.3"	17.45"	6.15"	—	P01134,P00910
RS5137	Shock	—	—	L1	S4	15.18"	25.3"	10.12"	—	P01134,P00932
RS5143	Shock	—	—	L3	L3	15.56"	25.27"	9.71"	—	None
RS5144	Shock	—	—	L3	L3	14.2"	22.34"	8.14"	—	None
RS5145	Shock	—	—	LS82	S4	9.43"	13.44"	4.01"	—	P01134
RS5147	Shock	—	—	LS74	LS74	14.71"	23.17"	8.46"	—	None
RS5150	Shock	—	—	LS39	LS77	11.64"	16.79"	5.15"	—	None
RS5151	Shock	—	—	LS37	LS37	12.28"	18.9"	6.62"	—	P00816
RS5152	Shock	—	—	LS40	LS77	12.14"	17.9"	5.76"	—	None
RS5157	Shock	—	—	S5	LS54	13.71"	22.07"	8.36"	—	P01167
RS5158	Shock	—	—	L3	S4	13.06"	20.92"	7.86"	—	P01134
RS5159	Shock	—	—	S4	S4	12.78"	20.92"	8.14"	—	P01136
RS5165	Shock	—	—	LS26	LS26	14.02"	22.39"	8.37"	—	None
RS5166	Shock	—	—	XP5	S4	9.49"	13.87"	4.38"	—	P01134
RS5167	Shock	—	—	L1	S4	10.3"	15.32"	5.02"	—	P01134,P00910
RS5168	Shock	—	—	LS38	S4	15.3"	25.27"	9.97"	—	P01135
RS5179	Shock	—	—	L1	S4	13.93"	22.32"	8.39"	—	P01135,P00920
RS5180	Shock	—	—	L3	L3	13.71"	21.47"	7.76"	—	None
RS5181	Shock	—	—	LS39	XP8	14.15"	22.29"	8.14"	—	None

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS5185	Shock	—	—	LS38	XP7	15.28"	25.35"	10.07"	—	P00941
RS5186	Shock	—	—	L1	S42	13.43"	21.57"	8.14"	—	P01134
RS5187	Shock	—	—	L3	S4	12.69"	19.81"	7.12"	—	P01134
RS5188	Shock	—	—	LS23	S4	8.68"	12.74"	4.06"	—	P01134
RS5190	Shock	—	—	LS47	XP7	15.98"	26.36"	10.38"	—	None
RS5193	Shock	—	—	LS47	XP7	14.23"	22.99"	8.76"	—	None
RS5194	Shock	—	—	LS25	L1	14.4"	23.28"	8.88"	—	None
RS5195	Shock	—	—	LS47	S51	9.56"	13.81"	4.25"	—	P01167
RS5197	Shock	—	—	LS47	S51	13.78"	22.03"	8.25"	—	P01167
RS5198	Shock	—	—	LS47	LS47	15.83"	25.59"	9.76"	—	None
RS5199	Shock	—	—	XP8	S4	8.98"	13.45"	4.47"	—	P01135
RS5201	Shock	—	—	S4	S4	11.58"	18.57"	6.99"	—	P01135
RS5202	Shock	—	—	L3	L3	14.83"	23.71"	8.88"	—	P00888
RS5203	Shock	—	—	LS50	L1	12.52"	19.25"	6.73"	—	None
RS5205	Shock	—	—	L1	L1	14.02"	22.41"	8.39"	—	None
RS5207	Shock	—	—	S5	S5	14.35"	23.36"	9.01"	—	P01167
RS5208	Shock	—	—	L3	S5	13.96"	22.69"	8.73"	—	P01167
RS5213	Shock	—	—	LS50	S4	11.81"	18.47"	6.66"	—	P01134
RS5214	Shock	—	—	LS23	S4	9.68"	14.3"	4.62"	—	P01134
RS5215	Shock	—	—	L3	LS78	12.83"	19.77"	6.94"	—	None
RS5221	Shock	—	—	LS92	S5	14.53"	23.66"	9.13"	—	P01167
RS5222	Shock	—	—	XP11	S4	9.05"	13.81"	4.76"	—	P01134
RS5223	Shock	—	—	LS24	S4	9.18"	13.04"	3.86"	—	P01134
RS5226	Shock	—	—	L3	L3	13.07"	20.32"	7.25"	—	None
RS5227	Shock	—	—	LS47	XP11	17.5"	29"	11.5"	—	None
RS5229	Shock	—	—	XP5	S4	13.89"	18.26"	4.37"	—	P01135,P00941
RS5233†	Shock	—	—	LS38	S4	10.03"	14.4"	4.37"	—	P01136
RS5234	Shock	—	—	LS26	S4	15.81"	27.11"	11.3"	—	P01136
RS5235	Shock	—	—	XP5	S5	10.4"	15.02"	4.62"	—	P01167
RS5236	Shock	—	—	LS26	S4	14.41"	24.05"	9.64"	—	P01135
RS5237	Shock	—	—	LS39	S4	11.76"	18.02"	6.26"	—	P01136
RS5238	Shock	—	—	LS26	S4	16.56"	28.49"	11.93"	—	P01136
RS5239	Shock	—	—	XP4	S4	14.43"	23.84"	9.41"	—	P01136
RS5240	Shock	—	—	LS37	XP12	12.89"	20.02"	7.13"	—	None
RS5241	Shock	—	—	LS37	XP12	13.66"	21.63"	7.97"	—	None
RS5244	Shock	—	—	LS39	LS77	13.53"	21.75"	8.22"	—	None
RS5246	Shock	—	—	LS26	LS26	14.28"	23.03"	8.75"	—	None
RS5248	Shock	—	—	LS28	LS28	15.52"	24.65"	9.13"	—	None
RS5251	Shock	—	—	LS43	S4	15.81"	27.11"	11.3"	—	P01135
RS5254	Shock	—	—	LS26	L1	18.28"	30.82"	12.54"	—	None
RS5255	Shock	—	—	XP4	S4	15.8"	26.53"	10.73"	—	P01136
RS5256	Shock	—	—	LS37	XP12	15.15"	24.66"	9.51"	—	None
RS5259	Shock	—	—	LS25	L1	14.06"	21.48"	7.42"	—	None
RS5260	Shock	—	—	LS25	LS29	13.52"	21.57"	8.05"	—	None
RS5261	Shock	—	—	LS26	L1	19.13"	32.91"	13.78"	—	None
RS5262	Shock	—	—	LS47	LS47	15.08"	23.89"	8.81"	—	None
RS5263	Shock	—	—	XP5	S4	9.93"	14.48"	4.55"	—	P01134
RS5264	Shock	—	—	LS26	L1	15.4"	24.38"	8.98"	—	None
RS5265	Shock	—	—	CLEV	S4	10.95"	15.33"	4.38"	—	P01135
RS5267	Shock	—	—	LS38	L1	14.4"	22.87"	8.47"	—	None
RS5268	Shock	—	—	CLEV	S4	13.86"	20.88"	7.02"	—	P01135
RS5269	Shock	—	—	LS47	LS47	16.95"	27.59"	10.64"	—	None
RS5272	Shock	—	—	L1	S5	10.31"	15.05"	4.74"	—	P01167
RS5273	Shock	—	—	LS38	L1	16.77"	28.07"	11.3"	—	None
RS5274	Shock	—	—	LS47	LS47	16.19"	26.44"	10.25"	—	None
RS5279	Shock	—	—	XP10	S5	10.81"	16.44"	5.63"	—	P01167
RS5281	Shock	—	—	XP10	S5	9.62"	14.24"	4.62"	—	P01167
RS5282	Shock	—	—	LS47	S5	11.02"	16.64"	5.62"	—	P01167
RS5283	Shock	—	—	LS47	S5	12.52"	19.83"	7.31"	—	P01167
RS5284	Shock	—	—	LS28	LS29	14.16"	22.31"	8.15"	—	None
RS5285	Shock	—	—	LS39	LS39	15.39"	24.89"	9.5"	—	None

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS5286	Shock	—	—	LS39	LS39	16.54"	27.29"	10.75"	—	None
RS5287	Shock	—	—	LS39	LS39	18.58"	30.56"	11.98"	—	None
RS5288	Shock	—	—	LS42	S5	13.28"	15.39"	2.11"	—	P01167
RS5289	Shock	—	—	LS42	S5	14"	21.36"	5.07"	—	P01167
RS5295	Shock	—	—	LS42	S5	10.44"	15.2"	4.76"	—	P01167
RS5296	Shock	—	—	LS42	S51	13.44"	21.69"	8.25"	—	P01167
RS5297	Shock	—	—	LS47	LS47	18.08"	30.47"	12.39"	—	None
RS5298	Shock	—	—	LS38	LS38	11.02"	16.97"	5.95"	—	None
RS5299	Shock	—	—	LS47	XP7	13.74"	20.98"	7.24"	—	None
RS5300	Shock	—	—	LS21	S4	10.29"	14.54"	4.25"	—	P01135
RS5301	Shock	—	—	LS47	XP7	14.86"	23.15"	8.29"	—	None
RS5304	Shock	—	—	LS47	LS47	16.54"	27.29"	10.75"	—	None
RS5308	Shock	—	—	LS47	XP11	15.35"	23.99"	8.64"	—	None
RS5315	Shock	—	—	LS28	LS28	14.84"	24.05"	9.21"	—	None
RS5317	Shock	—	—	LS92	S5	18.03"	28.94"	10.91"	—	P01356
RS5319	Shock	—	—	LS23	S42	13.94"	22.49"	8.55"	—	P01134
RS5324	Shock	—	—	LS38	S5	14.9"	24.42"	9.52"	—	P01167
RS5325	Shock	—	—	LS47	XP11	15.11"	24.09"	8.98"	—	None
RS5326	Shock	—	—	LS38	S51	14.03"	21.79"	7.76"	—	P01167
RS5327	Shock	—	—	LS38	XP12	14"	21.31"	7.31"	—	None
RS5328	Shock	—	—	LS38	XP12	14.62"	22.67"	8.05"	—	None
RS5329	Shock	—	—	LS38	S5	15.52"	24.99"	9.47"	—	P01167
RS5330	Shock	—	—	LS38	XP12	16.11"	25.77"	9.66"	—	None
RS5331	Shock	—	—	LS38	S5	16.15"	27.22"	11.07"	—	P01167
RS5332	Shock	—	—	LS38	XP12	16.86"	28.25"	11.39"	—	None
RS5358†	Shock	—	—	LS78	S6	11.47"	17.47"	6"	—	P01482
RS5359†	Shock	—	—	LS54	S6	14.23"	22.97"	8.74"	—	P01482
RS5367	Shock	—	—	LS47	LS47	16.46"	25.56"	9.1"	—	None
RS5368	Shock	—	—	XP14	S5	9.56"	13.91"	4.35"	—	P01167
RS5369	Shock	—	—	LS47	LS47	17.21"	28.22"	11.01"	—	None
RS5370	Shock	—	—	LS42	S5	13.12"	16.27"	3.15"	—	P01167
RS5371	Shock	—	—	CLEV	S4	11.2"	16.34"	5.14"	—	P01135
RS5372	Shock	—	—	LS38	S4	10.27"	15.4"	5.13"	—	P01135
RS5373	Shock	—	—	LS92	S5	11.01"	16.78"	5.77"	—	P01167
RS5374	Shock	—	—	XP5	S4	14.14"	19.28"	5.14"	—	P01135,P00941
RS5375	Shock	—	—	LS21	S4	10.27"	15.56"	5.29"	—	P01135
RS5376	Shock	—	—	CLEV	S5	13.55"	16.21"	2.66"	—	P01167
RS5377	Shock	—	—	CLEV	XP15	13.66"	17.95"	4.29"	—	P01299
RS5378	Shock	—	—	CLEV	XP15	14.67"	18.96"	4.29"	—	P01299
RS5379†	Shock	—	—	LS47	LS47	16.12"	25.24"	9.12"	—	None
RS5380	Shock	—	—	CLEV	XP15	16.68"	22.95"	6.27"	—	P01617
RS5381†	Shock	—	—	LS47	LS47	17.99"	29.33"	11.34"	—	None
RS5382	Shock	—	—	CLEV	XP15	18.31"	24.59"	6.28"	—	P01617
RS5383†	Shock	—	—	LS47	LS47	19.37"	31.12"	11.75"	—	None
RS5384†	Shock	—	—	LS38	LS38	18.46"	28.58"	10.12"	—	None
RS5385	Shock	—	—	XP7	LS38	16.77"	28.2"	11.43"	—	None
RS5386†	Shock	—	—	LS41	LS39	14.58"	23.07"	8.49"	—	None
RS5387†	Shock	—	—	LS41	LS39	14.58"	23.19"	8.61"	—	None
RS5388†	Shock	—	—	LS23	LS29	10.87"	15.76"	4.89"	—	None
RS5389†	Shock	—	—	LS28	LS30	14.9"	23.78"	8.88"	—	None
RS5390†	Shock	—	—	LS30	LS52	14.58"	23.23"	8.65"	—	None
RS5391†	Shock	—	—	LS52	LS28	15.1"	24.21"	9.11"	—	None
RS5392	Shock	—	—	LS23	S4	8.3"	11.87"	3.57"	—	P01135
RS5393	Shock	—	—	L1	L1	13.89"	22.56"	8.67"	—	None
RS5394†	Shock	—	—	LS44	LS47	15.09"	24.19"	9.1"	—	None
RS5395†	Shock	—	—	LS81	LS52	14.46"	22.95"	8.49"	—	None
RS5396†	Shock	—	—	LS44	LS44	11.84"	17.59"	5.75"	—	None
RS5397†	Shock	—	—	LS68	S5	14.09"	22.09"	8"	—	P01167
RS5398†	Shock	—	—	LS38	LS29	15.22"	24.46"	9.24"	—	None
RS5399	Shock	—	—	CLEV	S2	16.13"	20.99"	4.86"	—	P00762
RS5401	Steering Damper	—	—	L1	L1	12.27"	19.45"	7.18"	—	P00920,P00837,P00829

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS5402	Steering Damper	—	—	S4	S4	12.23"	20.25"	8.02"	—	P01134
RS5403	Steering Damper	—	—	S4	S4	13.22"	22.25"	9.03"	—	P01134
RS5404	Steering Damper	—	—	L1	L1	14.52"	23.96"	9.44"	—	P01619,P00932,P00837
RS5405	Steering Damper	—	—	L1	S4	12.82"	21.74"	8.92"	—	P01134,P00932
RS5406	Steering Damper	—	—	L1	L1	17.77"	30.37"	12.6"	—	None
RS5407	Steering Damper	—	—	LS37	L1	11.91"	19.47"	7.56"	—	P00837,P00953
RS5409	Steering Damper	—	—	LS24	LS5	12.78"	20.71"	7.93"	—	P01326
RS5410	Steering Damper	—	—	LS38	L1	14.42"	24.34"	9.92"	—	P01730,P00847
RS5411	Steering Damper	—	—	LS35	L1	12.53"	20.64"	8.11"	—	P01368
RS5412	Steering Damper	—	—	LS24	L1	14.15"	23.36"	9.21"	—	P01368
RS5413	Steering Damper	—	—	L1	S4	15.7"	27.48"	11.78"	—	P01135,P01385
RS5415	Steering Damper	—	—	L1	LS26	16.16"	27.94"	11.78"	—	P01385
RS5416	Steering Damper	—	—	LS24	LS37	14.15"	23.36"	9.21"	—	None
RS5417	Steering Damper	—	—	LS35	L1	13.66"	22.96"	9.3"	—	P01368
RS5418	Steering Damper	—	—	LS24	LS24	13.15"	20.7"	7.55"	—	None
RS5601	Shock	—	—	L1	L1	12.39"	19.83"	7.44"	—	None
RS5602	Shock	—	—	XP1	S4	8.92"	13.42"	4.5"	—	P01134
RS5604	Shock	—	—	S4	L1	11.92"	19.36"	7.44"	—	P01134
RS5605	Shock	—	—	LS23	S4	8.92"	13.89"	4.97"	—	P01134
RS5606	Shock	—	—	LS38	S4	9.7"	15"	5.3"	—	P01135
RS5609	Shock	—	—	XP5	S4	9.14"	14.37"	5.23"	—	P01134
RS5610	Shock	—	—	LS21	S4	11.45"	18.4"	6.95"	—	P01134
RS5753	Strut	SS3	16.61"	—	—	17.59"	20.42"	2.83"	—	P01611
RS5754	Strut	SS3	12.48"	—	—	13.52"	19.39"	5.87"	—	P01611
RS5757	Strut	SS7	13.36"	—	—	13.56"	18.08"	4.52"	—	None
RS5758	Strut	SS2	17.26"	—	—	17.76"	23.52"	5.76"	—	P01613
RS5762	Strut	SS3	12.64"	—	—	13.62"	18.19"	4.57"	—	P01612
RS5763	Strut	SS3	12.53"	—	—	13.5"	16.18"	2.68"	—	P01612
RS5764	Strut	B4	9.72"	—	—	9.7"	13.82"	4.12"	—	None
RS5766	Strut	SS3	12.64"	—	—	13.62"	17.93"	4.31"	—	P01612
RS5767	Strut	SS2	16.83"	—	—	17.33"	21.63"	4.3"	—	P01499
RS5769	Strut	SS2	20.9"	—	—	21.4"	26.18"	4.78"	—	P01499
RS5770	Strut	SS3	10.06"	—	—	11.04"	15.81"	4.77"	—	P01612
RS5773	Strut	SS3	14.08"	—	—	14.96"	18.79"	3.83"	—	P01614
RS5774	Strut	SS2	14.46"	—	—	15.7"	20.64"	4.94"	—	P01499
RS5775	Strut	SS2	15.45"	—	—	12.52"	16.44"	3.92"	—	P00762
RS5776	Strut	SS2	15.45"	—	—	12.52"	16.44"	3.92"	—	P00762
RS5777	Strut	SS2	15.91"	—	—	16.89"	21.83"	4.94"	—	P01613
RS5784	Strut	SS7	12.49"	—	—	13.94"	17.71"	3.77"	—	P01426,P01415
RS5786	Strut	SS7	15.02"	—	—	18.86"	22.6"	3.74"	—	P01426,P01415
RS5788	Strut	SS4	14.93"	—	—	15.43"	21.19"	5.76"	—	P01747
RS5789	Strut	SS4	18.22"	—	—	18.72"	24.5"	5.78"	—	P01747
RS5803	Strut	SS1	15.88"	—	—	16.38"	20.87"	4.49"	—	P01499
RS5804	Strut	SS1	15.92"	—	—	17.17"	21.64"	4.47"	—	P01499
RS5806	Strut	SS2	13.03"	—	—	21.49"	26.15"	4.66"	—	P01499
RS5808	Strut	SS4	14.93"	—	—	15.43"	21.19"	5.76"	—	P01747
RS5810	Strut	SS4	11.78"	—	—	18.72"	24.5"	5.78"	—	P01747
RS5811†	Strut	B11	15.84"	—	—	16.48"	23.35"	6.87"	—	P00762
RS5812†	Strut	B11	15.84"	—	—	16.48"	23.35"	6.87"	—	P00762
RS5813†	Strut	B11	15.1"	—	—	15.73"	22.6"	6.87"	—	P00762
RS5814†	Strut	B10	15.1"	—	—	15.73"	22.6"	6.87"	—	P00762
RS5815†	Strut	B10	15.1"	—	—	15.73"	22.6"	6.87"	—	P00762
RS5816†	Strut	B10	15.1"	—	—	15.73"	22.6"	6.87"	—	P00762
RS5817†	Strut	B8	10.57"	—	—	11.07"	16.08"	5.01"	—	None
RS5818	Strut	SS2	15.64"	—	—	16.14"	19.63"	3.49"	—	P01499
RS5819†	Strut	SS2	13.72"	—	—	14.36"	21.2"	6.85"	—	P01499
RS5820	Strut	SS2	17.84"	—	—	16.66"	19.18"	2.5"	—	P01611
RS5821	Strut	SS3	17.24"	—	—	16.54"	19.06"	2.52"	—	P01611
RS5822†	Strut	SS3	13.02"	—	—	13.52"	19.39"	5.87"	—	P01611
RS5825†	Strut	SS2	10.7"	—	—	11.4"	15.71"	4.31"	—	P00906
RS5826†	Strut	B4	13.57"	—	—	14.07"	20.25"	6.18"	—	None

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS5827†	Strut	SS3	9.91"	—	—	10.79"	14.62"	3.83"	—	P01614
RS5828†	Strut	SS2	16.39"	—	—	16.89"	21.83"	4.94"	—	P01167
RS5829	Strut	SS4	13.36"	—	—	13.56"	18.08"	4.52"	—	P01632,P01650
RS7008	Shock	—	—	L1	L1	14"	21.47"	7.47"	—	P00915,P01057
RS7023	Shock	—	—	—	—	—	—	—	—	None
RS7034	Shock	—	—	L1	L1	20.82"	33.63"	12.82"	—	P00915,P01013
RS7040	Shock	—	—	LS23	S4	13.88"	21.93"	8.06"	—	P01134
RS7042	Shock	—	—	LS92	S5	13.78"	20.65"	6.87"	—	P01167
RS7043	Shock	—	—	LS92	S5	15.13"	22.97"	7.84"	—	P01167
RS7044	Shock	—	—	LS92	S51	15.71"	24.33"	8.61"	—	P01167
RS7046	Shock	—	—	LS26	L1	16.68"	26.59"	9.91"	—	None
RS7048	Shock	—	—	LS92	S51	16.32"	25.83"	9.51"	—	P01167
RS7050	Shock	—	—	LS26	L1	16.84"	27.1"	10.26"	—	None
RS7055	Shock	—	—	LS42	S5	15.47"	23.47"	8"	—	P01167
RS7056	Shock	—	—	LS47	LS47	19.57"	31.78"	12.21"	—	None
RS7061	Shock	—	—	XP5	S42	17.41"	28.2"	10.79"	—	P01134
RS7062	Shock	—	—	LS37	XP12	15.77"	24.93"	9.18"	—	None
RS7112	Shock	—	—	L1	L1	16.25"	25.88"	9.63"	—	P00913,P00915
RS7113	Shock	—	—	L1	L1	13.42"	20.73"	7.31"	—	P00916
RS7118	Shock	—	—	L1	L1	14.26"	22.31"	8.01"	—	P00912,P00915,P01013
RS7119	Shock	—	—	L1	L1	12.14"	18.27"	6.13"	—	P00916
RS7128	Shock	—	—	XP5	S42	13.51"	21.21"	7.7"	—	P01136,P00941
RS7129	Shock	—	—	L1	XP12	13.62"	21.12"	7.5"	—	None
RS7150	Shock	—	—	LS40	LS33	11.35"	16.6"	5.24"	—	None
RS7152	Shock	—	—	LS40	LS33	12.14"	18.11"	5.97"	—	None
RS7168	Shock	—	—	LS38	S42	15.78"	25.41"	9.63"	—	P01135
RS7190	Shock	—	—	LS92	XP7	16.05"	25.62"	9.57"	—	None
RS7198	Shock	—	—	LS92	LS92	16.43"	25.35"	8.93"	—	None
RS7239	Shock	—	—	XP5	S42	15.04"	23.97"	8.93"	—	P01136
RS7240	Shock	—	—	LS37	XP12	12.39"	18.91"	6.52"	—	None
RS7241	Shock	—	—	LS37	XP12	14.21"	22.3"	8.09"	—	None
RS7254	Shock	—	—	LS26	L1	18.32"	29.76"	11.44"	—	None
RS7255	Shock	—	—	XP5	S4	15.78"	25.41"	9.63"	—	P01136
RS7256	Shock	—	—	LS37	XP12	15.58"	24.86"	9.28"	—	None
RS7261	Shock	—	—	LS26	L1	19.55"	32.4"	12.85"	—	None
RS7264	Shock	—	—	LS26	L1	15.5"	24.54"	9.04"	—	None
RS7267	Shock	—	—	LS26	L1	14.65"	23.13"	8.49"	—	None
RS7268	Shock	—	—	CLEV	S42	13.75"	20.85"	7.11"	—	P01135
RS7269	Shock	—	—	LS47	LS47	17.41"	27.37"	9.97"	—	None
RS7272	Shock	—	—	L1	S5	10.42"	15.3"	4.88"	—	P01167
RS7274	Shock	—	—	LS47	LS47	16.43"	26.05"	9.63"	—	None
RS7286	Shock	—	—	LS38	LS38	16.74"	26.72"	9.98"	—	None
RS7287	Shock	—	—	LS38	LS38	18.89"	30.52"	11.63"	—	None
RS7295	Shock	—	—	LS42	S5	10.6"	15.63"	5.02"	—	P01167
RS7296	Shock	—	—	LS42	S51	13.43"	21.13"	7.7"	—	P01167
RS7297	Shock	—	—	LS47	LS47	18.33"	29.71"	11.39"	—	None
RS7305	Shock	—	—	S5	LS68	14.57"	22.49"	7.92"	—	P01167
RS7317	Shock	—	—	LS92	S51	17.6"	28.71"	11.11"	—	P01167
RS7319	Shock	—	—	LS23	S4	14.36"	22.56"	8.2"	—	P01134
RS7324	Shock	—	—	LS27	S5	15.57"	24.75"	9.18"	—	P01167
RS7326	Shock	—	—	LS38	S51	14.73"	23.58"	8.85"	—	P01167
RS7328	Shock	—	—	LS38	XP12	15.16"	24.01"	8.85"	—	None
RS7329	Shock	—	—	LS27	S5	15.82"	25"	9.18"	—	P01167
RS7330	Shock	—	—	LS38	XP12	16.95"	27.17"	10.22"	—	None
RS7331	Shock	—	—	LS38	S51	16.5"	26.76"	10.26"	—	P01167
RS7367	Shock	—	—	LS92	LS92	16.42"	25.66"	9.24"	—	None
RS7369	Shock	—	—	LS92	LS92	17.64"	28.28"	10.64"	—	None
RS7370	Shock	—	—	LS42	S51	11.15"	16.6"	5.44"	—	P01167
RS7371	Shock	—	—	CLEV	S4	11.56"	16.48"	4.92"	—	P01135
RS7377†	Shock	—	—	CLEV	XP15	13.64"	17.96"	4.32"	—	P01617
RS7379	Shock	—	—	LS92	LS92	16.31"	25.88"	0.38"	—	None

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS7380†	Shock	—	—	CLEV	XP15	16.64"	23"	6.36"	—	P01617
RS7381	Shock	—	—	LS92	LS92	18.12"	29.34"	11.22"	—	None
RS7384	Shock	—	—	LS38	LS38	18.11"	28.86"	10.76"	—	None
RS7388	Shock	—	—	L1	L1	18.35"	29.64"	11.29"	—	None
RS7391	Shock	—	—	L1	S5	12.33"	19.01"	6.68"	—	P01167
RS7401	Steering Damper	—	—	LS49	LS49	12.2"	19.3"	7.1"	—	P00920,P00837,P00829
RS7402	Steering Damper	—	—	S2	S4	12.21"	20.2"	7.98"	—	P01134
RS7405	Steering Damper	—	—	L1	S4	13"	21.5"	8.5"	—	P00932,P01134
RS7407	Steering Damper	—	—	LS37	L1	12.2"	19.3"	7.1"	—	P00837,P00953
RS7410	Steering Damper	—	—	LS38	L1	14.73"	24.17"	9.44"	—	P00847,P01730
RS7411	Steering Damper	—	—	LS35	L1	12.71"	20.54"	7.83"	—	P01368
RS7412	Steering Damper	—	—	LS24	L1	14.33"	23.32"	8.99"	—	P01368
RS7415	Steering Damper	—	—	L1	LS21	17.26"	28.18"	10.92"	—	P01385
RS7416	Steering Damper	—	—	LS24	LS37	14.33"	23.32"	8.99"	—	None
RS7418	Steering Damper	—	—	LS24	LS37	13.17"	20.63"	7.47"	—	None
RS7759	Strut	SS2	17.16"	—	—	17.76"	23.62"	5.87"	—	P01696,P01613
RS7760	Strut	SS2	16.27"	—	—	16.89"	22.08"	5.19"	—	P01613,P01696
RS7767	Strut	SS2	15.99"	—	—	16.34"	21.93"	5.59"	—	P01683
RS7777	Strut	SS2	16.27"	—	—	16.89"	20.08"	5.19"	—	P01613,P01696
RS7784	Strut	SS7	12.54"	—	—	14.25"	17.79"	3.54"	—	P01658,P01415
RS7785	Strut	SS7	12.74"	—	—	14.44"	17.98"	3.54"	—	P01658,P01415
RS7786	Strut	SS7	17.32"	—	—	19.03"	22.56"	3.54"	—	P01658,P01415
RS7792	Strut	SS2	15.99"	—	—	16.34"	21.93"	5.59"	—	P01683
RS7804	Strut	SS2	16.61"	—	—	16.93"	21.85"	4.92"	—	P01659
RS7805	Strut	SS2	16.61"	—	—	16.93"	21.85"	4.92"	—	P01659
RS7806	Strut	SS2	20.95"	—	—	21.27"	26.19"	4.92"	—	P01659
RS7808	Strut	SS4	15.03"	—	—	15.35"	21.2"	5.85"	—	P01728
RS7810	Strut	SS4	18.27"	—	—	18.59"	24.45"	5.86"	—	P01728
RS7830	Strut	SS7	12.72"	—	—	13.63"	16.85"	3.23"	—	P01706,P01415
RS7831	Strut	SS7	13.37"	—	—	14.28"	17.5"	3.23"	—	P01706,P01415
RS7832	Strut	SS2	19.6"	—	—	20.51"	23.74"	3.23"	—	P01706,P01415
RS7833	Strut	SS2	20.95"	—	—	21.27"	26.19"	4.92"	—	P01659
RS7838	Strut	SS7	20.94"	—	—	21.27"	26.19"	4.92"	—	P01659,P01726
RS7841	Strut	SS2	13.78"	—	—	15.08"	19.51"	4.43"	—	P01749
RS55001†	Shock	—	—	LS24	LS24	13.39"	21.08"	7.69"	—	P00816
RS55009	Shock	—	—	LS38	S4	15.75"	26.32"	10.57"	—	P01134
RS55012	Shock	—	—	L1	L1	19.01"	32.54"	13.53"	—	P00915,P00934
RS55023†	Shock	—	—	LS47	LS47	14.97"	22.56"	7.59"	—	None
RS55029†	Shock	—	—	LS26	S4	9.75"	14.32"	4.57"	—	P01135
RS55034	Shock	—	—	L1	L1	20.01"	34.04"	14.03"	—	P00915,P01013
RS55036	Shock	—	—	L1	L1	21.01"	36.04"	15.03"	—	P00915,P01013
RS55036A†	Shock	—	—	LS78	L1	21.06"	36.09"	15.03"	—	None
RS55042†	Shock	—	—	LS92	S5	13.85"	20.79"	6.94"	—	P01167
RS55043†	Shock	—	—	LS92	S5	14.97"	23.37"	8.4"	—	P01167
RS55044†	Shock	—	—	S5	LS92	15.72"	24.86"	9.14"	—	P01167
RS55045†	Shock	—	—	LS26	L1	19.76"	33.79"	14.03"	—	None
RS55046†	Shock	—	—	LS26	L1	16.39"	27.17"	10.78"	—	none
RS55047†	Shock	—	—	LS26	L1	18.51"	31.46"	12.95"	—	None
RS55047A†	Shock	—	—	LS78	L1	18.58"	31.24"	12.66"	—	None
RS55048	Shock	—	—	LS92	S5	16.6"	26.73"	10.13"	—	P01167
RS55056†	Shock	—	—	LS92	LS92	18.69"	31.97"	13.28"	—	None
RS55112	Shock	—	—	L1	L1	16.01"	26.42"	10.41"	—	P00913,P00915
RS55113	Shock	—	—	L1	L1	12.89"	20.29"	7.4"	—	P00916
RS55115	Shock	—	—	L1	S4	12.87"	20.66"	7.79"	—	P00916
RS55116†	Shock	—	—	L1	L1	14.86"	24.05"	9.19"	—	P00916
RS55118	Shock	—	—	L1	L1	14.01"	22.29"	8.28"	—	P00912,P00915,P01013
RS55119	Shock	—	—	L1	L1	11.64"	18.04"	6.4"	—	P00916,P00925
RS55123†	Shock	—	—	LS39	LS39	11.89"	18.08"	6.19"	—	None
RS55126†	Shock	—	—	LS26	L1	16.01"	26.42"	10.41"	—	None
RS55128†	Shock	—	—	XP5	S4	13.05"	21.03"	7.98"	—	P01136
RS55129	Shock	—	—	L1	XP12	12.76"	20.04"	7.28"	—	None

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS55136†	Shock	—	—	L1	S4	11.25"	17.44"	6.19"	—	P01134,P00910
RS55144	Shock	—	—	L3	L3	14.19"	22.34"	8.15"	—	None
RS55145†	Shock	—	—	LS50	S4	9.25"	13.45"	4.2"	—	P01134
RS55149†	Shock	—	—	LS27	LS27	16.81"	27.84"	11.03"	—	None
RS55150†	Shock	—	—	LS40	LS77	11.51"	16.79"	5.28"	—	None
RS55152†	Shock	—	—	LS40	LS77	12.01"	17.96"	5.95"	—	None
RS55165†	Shock	—	—	LS26	LS26	14.01"	22.42"	8.41"	—	None
RS55168	Shock	—	—	LS38	S4	15.13"	25.28"	10.15"	—	P01135
RS55180	Shock	—	—	L3	L3	13.69"	21.47"	7.78"	—	None
RS55185†	Shock	—	—	LS26	XP7	15.51"	25.42"	9.91"	—	P0941
RS55188†	Shock	—	—	LS23	S4	8.87"	12.7"	3.83"	—	P01134
RS55190†	Shock	—	—	LS92	XP7	16.08"	26.36"	10.28"	—	None
RS55198	Shock	—	—	LS47	LS47	15.69"	25.59"	9.9"	—	None
RS55221†	Shock	—	—	LS92	S5	14.59"	23.63"	9.04"	—	P01167
RS55226	Shock	—	—	L3	L3	13.19"	20.34"	7.15"	—	None
RS55229	Shock	—	—	XP5	S4	13.72"	18.25"	4.53"	—	P01135,P00941
RS55233†	Shock	—	—	LS27	S4	9.84"	14.37"	4.53"	—	P01136
RS55234†	Shock	—	—	LS26	S4	16.13"	27.03"	10.9"	—	P01136
RS55236†	Shock	—	—	LS26	S4	14.5"	24.03"	9.53"	—	P01135
RS55237†	Shock	—	—	LS39	S4	11.59"	18"	6.41"	—	P01136
RS55239	Shock	—	—	XP4	S4	14.43"	23.84"	9.41"	—	P01136
RS55240	Shock	—	—	LS37	XP12	12.76"	20.04"	7.28"	—	None
RS55241	Shock	—	—	LS37	XP12	13.51"	21.67"	8.16"	—	None
RS55245†	Shock	—	—	L1	XP12	15.01"	24.67"	9.66"	—	None
RS55254†	Shock	—	—	LS26	L1	18.26"	30.83"	12.57"	—	None
RS55255	Shock	—	—	XP4	S4	15.8"	26.53"	10.73"	—	P01136
RS55256	Shock	—	—	LS37	XP12	15.01"	24.67"	9.66"	—	None
RS55260†	Shock	—	—	LS25	LS29	13.64"	21.54"	7.9"	—	None
RS55261	Shock	—	—	LS26	L1	19.01"	32.98"	13.97"	—	None
RS55262	Shock	—	—	LS47	LS47	15.08"	23.89"	8.81"	—	None
RS55263†	Shock	—	—	XP5	S4	10"	14.45"	4.45"	—	P01134
RS55264†	Shock	—	—	LS26	L1	15.26"	24.42"	9.16"	—	None
RS55265†	Shock	—	—	CLEV	S4	11.02"	15.31"	4.29"	—	P01135
RS55267†	Shock	—	—	LS26	L1	14.26"	22.92"	8.66"	—	None
RS55268	Shock	—	—	CLEV	S4	13.78"	20.81"	7.03"	—	P01135
RS55269	Shock	—	—	LS47	LS47	16.81"	27.59"	10.78"	—	None
RS55272	Shock	—	—	L1	S5	10.13"	15.04"	4.91"	—	P01167
RS55273†	Shock	—	—	LS26	L1	16.89"	28.08"	11.19"	—	None
RS55274	Shock	—	—	LS47	LS47	16.19"	26.44"	10.25"	—	None
RS55281†	Shock	—	—	XP12	S5	9.76"	14.2"	4.44"	—	P01167
RS55282†	Shock	—	—	LS92	S5	10.97"	16.63"	5.66"	—	P01167
RS55283†	Shock	—	—	LS47	S5	12.63"	19.79"	7.16"	—	P01167
RS55286†	Shock	—	—	LS26	LS26	16.43"	27.22"	10.79"	—	None
RS55287†	Shock	—	—	LS26	LS26	18.43"	30.59"	12.16"	—	None
RS55288	Shock	—	—	LS42	S5	13.04"	15.39"	2.35"	—	P01167
RS55289	Shock	—	—	LS42	S5	13.88"	21.41"	7.53"	—	P01167
RS55296	Shock	—	—	LS42	S5	13.5"	21.66"	8.16"	—	P01167
RS55297	Shock	—	—	LS47	LS47	18.08"	30.47"	12.39"	—	None
RS55316†	Shock	—	—	LS38	LS38	17.56"	29.38"	11.82"	—	None
RS55317†	Shock	—	—	LS92	S5	17.85"	28.94"	11.09"	—	P01356
RS55325	Shock	—	—	LS92	XP7	14.96"	24.11"	9.15"	—	None
RS55326	Shock	—	—	LS38	S51	13.85"	21.75"	7.9"	—	P01167
RS55328	Shock	—	—	LS38	XP12	14.46"	22.61"	8.15"	—	None
RS55329	Shock	—	—	LS38	S5	15.35"	25.01"	9.66"	—	P01167
RS55330	Shock	—	—	LS38	XP12	15.96"	25.75"	9.79"	—	None
RS55331	Shock	—	—	LS38	S5	15.97"	27.26"	11.29"	—	P01167
RS55332	Shock	—	—	LS38	XP12	16.96"	28.25"	11.29"	—	None
RS55369†	Shock	—	—	LS47	LS47	17.31"	28.17"	10.86"	—	None
RS55370†	Shock	—	—	LS42	S5	10.75"	16.27"	5.52"	—	P01167
RS55371	Shock	—	—	CLEV	S4	11.28"	16.31"	5.03"	—	P01135
RS55373†	Shock	—	—	LS92	S5	11.35"	17.42"	6.07"	—	P01167

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS55374†	Shock	—	—	XP5	S4	13.97"	19.25"	5.28"	—	P01135, P00941
RS55377	Shock	—	—	CLEV	XP15	13.67"	17.97"	4.3"	—	P01299
RS55378	Shock	—	—	CLEV	XP15	14.67"	18.98"	4.31"	—	P01299
RS55379†	Shock	—	—	LS47	LS47	16"	25.28"	9.28"	—	None
RS55380	Shock	—	—	CLEV	XP15	16.69"	22.97"	6.28"	—	P01299
RS55610	Shock	—	—	LS21	S4	11.6"	18.34"	6.74"	—	P01134
RS55762	Strut	SS3	—	—	—	13.62"	18.19"	4.57"	—	P01612
RS55784†	Strut	SS7	11.29"	—	XP16	13.91"	17.72"	3.81"	—	P01426,P01415
RS55785†	Strut	SS7	11.48"	—	—	14.17"	17.99"	3.82"	—	P01426,P01415
RS55786†	Strut	SS7	16.32"	—	XP16	18.84"	22.51"	3.67"	—	P01426,P01415
RS55789	Strut	SS4	18.19"	—	—	18.69"	24.5"	5.81"	—	P01747
RS55803	Strut	SS2	15.88"	—	—	16.47"	20.89"	4.42"	—	P01499
RS55804†	Strut	SS1	16.47"	—	—	17.03"	21.64"	4.47"	—	P01499
RS55806	Strut	SS2	21.12"	—	—	21.62"	26.09"	4.62"	—	P01499
RS55810	Strut	SS4	11.49"	—	—	18.69"	24.5"	5.81"	—	P01747
RS55830†	Strut	SS7	13.07"	—	XP16	13.57"	16.84"	3.27"	—	P01707,P01415
RS55831†	Strut	SS7	13.17"	—	—	13.98"	17.48"	3.5"	—	P01707,P01415
RS55832†	Strut	SS7	19.81"	—	—	20.31"	23.76"	3.45"	—	P01707,P01415
RS55833†	Strut	SS2	20.97"	—	—	21.62"	26.09"	4.62"	—	P01499
RS55834†	Strut	SS7	13.57"	—	XP15	16.47"	20.89"	4.42"	—	P01726,P01499
RS55836†	Strut	SS7	16.68"	—	XP15	17.18"	21.63"	4.43"	—	P01726,P01499
RS55838	Strut	SS7	20.67"	—	—	21.62"	26.09"	4.62"	—	P01726,P01499
RS55839	Strut	SS7	21.94"	—	—	22.44"	26.89"	4.45"	—	P01726, P01499
RS55840†	Strut	SS2	12.42"	—	—	14.56"	19.27"	4.81"	—	P01431
RS55842	Strut	SPEC	19.72"	—	—	26.42"	30.69"	4.28"	—	P00839
RS999001	Shock	—	—	L1	L1	13.68"	20.83"	7.15"	—	P00976,P00816
RS999005	Shock	—	—	L1	L1	17.6"	28.67"	11.07"	—	P00934
RS999006	Shock	—	—	L1	L1	11.87"	17.33"	5.46"	—	P00915,P01057,P00927
RS999008	Shock	—	—	LS50	LS50	14.11"	21.53"	7.42"	—	P00920,P01020
RS999009	Shock	—	—	LS38	S4	16.09"	26.1"	10.01"	—	P01192
RS999010	Shock	—	—	L1	L1	16.36"	26.04"	9.68"	—	P01057,P00920
RS999012	Shock	—	—	L1	L1	19.41"	32.29"	12.88"	—	P00934,P00915
RS999014	Shock	—	—	S4	S4	15.17"	24.58"	9.41"	—	P01192
RS999017	Shock	—	—	LS50	S4	15.66"	25.15"	9.49"	—	P00829,P01192
RS999028	Shock	—	—	L1	L1	17.25"	27.96"	10.71"	—	P00934,P00915
RS999029	Shock	—	—	LS26	S42	10.39"	14.55"	4.16"	—	P01192
RS999034	Shock	—	—	L1	L1	20.27"	34.01"	13.74"	—	P01013,P00915
RS999036	Shock	—	—	L1	L1	21.33"	36.13"	14.8"	—	P01013,P00915
RS999036A†	Shock	—	—	LS78	L1	21.39"	36.15"	14.76"	—	None
RS999039	Shock	—	—	L1	S4	10.39"	14.55"	4.16"	—	P01192,P01013
RS999040	Shock	—	—	LS23	S42	14.28"	22.34"	8.06"	—	P01192
RS999042	Shock	—	—	LS47	S51	13.95"	20.61"	6.66"	—	P01356
RS999043	Shock	—	—	LS47	S51	15.2"	23.11"	7.91"	—	P01356
RS999044	Shock	—	—	LS47	S51	15.95"	24.6"	8.65"	—	P01356
RS999045	Shock	—	—	LS26	LS50	19.92"	33.31"	13.39"	—	None
RS999046	Shock	—	—	LS26	L1	16.65"	26.76"	10.11"	—	None
RS999047	Shock	—	—	LS26	L1	18.87"	31.21"	12.34"	—	None
RS999047A†	Shock	—	—	LS78	L1	18.93"	31.23"	12.3"	—	None
RS999048	Shock	—	—	LS47	S51	16.92"	26.54"	9.62"	—	P01356
RS999050	Shock	—	—	LS26	L1	18.12"	29.19"	11.07"	—	None
RS999055†	Shock	—	—	LS42	S51	15.46"	23.2"	5.46"	—	P01356
RS999056	Shock	—	—	LS47	LS47	19.49"	32.27"	12.78"	—	None
RS999057	Shock	—	—	CLEV	S42	15.03"	22.98"	7.95"	—	P01192
RS999058	Shock	—	—	LS47	LS47	18.24"	29.74"	11.5"	—	None
RS999059	Shock	—	—	LS39	LS77	15.69"	24.38"	8.69"	—	None
RS999060	Shock	—	—	LS47	XP7	18.56"	30.47"	11.91"	—	None
RS999061	Shock	—	—	XP4	S42	16.52"	26.75"	10.23"	—	P01358
RS999062	Shock	—	—	LS24	XP12	16"	25.2"	9.2"	—	None
RS999112	Shock	—	—	L1	L1	16.25"	25.96"	9.71"	—	P00915,P00913,P01013
RS999113	Shock	—	—	L1	L1	13.28"	20.03"	6.75"	—	P00916
RS999114	Shock	—	—	L2	L2	15.41"	24.29"	8.88"	—	P00939

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.



# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS999115	Shock	—	—	L1	S4	13.32"	20.57"	7.25"	—	P00910,P01192
RS999116	Shock	—	—	L1	L1	15.14"	23.75"	8.61"	—	P00916,P01013
RS999117	Shock	—	—	L1	S4	12.37"	18.67"	6.3"	—	P01192,P00910
RS999118	Shock	—	—	L1	L1	14.32"	22.28"	7.96"	—	P00915,P00912,P01013
RS999119	Shock	—	—	L1	L1	11.93"	17.33"	5.4"	—	P00916
RS999120	Shock	—	—	L1	L1	9.98"	13.51"	3.53"	—	P00916,P00915
RS999123†	Shock	—	—	LS39	LS39	11.76"	17.35"	5.59"	—	None
RS999124	Shock	—	—	LS47	XP7	15.25"	23.67"	8.42"	—	None
RS999126	Shock	—	—	LS26	L1	16.36"	26.04"	9.68"	—	None
RS999128	Shock	—	—	XP11	S4	13.39"	20.49"	7.1"	—	P01358,P00941
RS999129	Shock	—	—	L1	XP12	13.36"	19.91"	6.55"	—	None
RS999136	Shock	—	—	L1	S4	11.53"	16.84"	5.31"	—	P01192,P00910,P01013
RS999143	Shock	—	—	L3	L3	16.05"	25.06"	9.01"	—	None
RS999144	Shock	—	—	L3	L3	14.43"	21.88"	7.45"	—	None
RS999145	Shock	—	—	LS82	S4	9.77"	13.33"	3.56"	—	P01192
RS999147	Shock	—	—	LS74	LS74	15.06"	23.01"	7.95"	—	None
RS999150	Shock	—	—	LS39	LS77	11.64"	16.58"	4.94"	—	None
RS999151	Shock	—	—	LS37	LS37	12.61"	18.53"	5.92"	—	P00816
RS999152	Shock	—	—	LS39	LS77	12.24"	17.83"	5.59"	—	None
RS999157	Shock	—	—	S5	LS54	14.31"	22"	7.75"	—	P01167
RS999158	Shock	—	—	L3	S42	13.56"	20.76"	7.2"	—	P01192
RS999159	Shock	—	—	S4	S4	13.25"	20.92"	7.67"	—	P01136
RS999165	Shock	—	—	LS26	LS26	14.65"	22.25"	7.6"	—	P01059
RS999166	Shock	—	—	XP5	S4	10.03"	13.78"	3.75"	—	P01192
RS999168	Shock	—	—	LS38	S4	15.65"	25.23"	9.58"	—	P01192
RS999179	Shock	—	—	L1	S4	14.28"	22.34"	8.06"	—	P01192
RS999180	Shock	—	—	L3	L3	14.18"	21.18"	7"	—	None
RS999185	Shock	—	—	LS38	XP11	16.36"	26.04"	9.68"	—	P00941
RS999186	Shock	—	—	L1	S42	13.4"	20.5"	7.1"	—	P01192
RS999187	Shock	—	—	L3	S4	13.57"	20.57"	7"	—	P01192
RS999188	Shock	—	—	LS23	S4	9.02"	12.39"	3.37"	—	P01192
RS999190	Shock	—	—	LS47	XP7	16.49"	26.34"	9.85"	—	None
RS999194	Shock	—	—	LS25	L1	14.85"	23.07"	8.22"	—	None
RS999195	Shock	—	—	LS92	S5	10.13"	13.8"	3.67"	—	P01356
RS999197	Shock	—	—	LS92	S5	14.35"	21.9"	7.55"	—	P01356
RS999198	Shock	—	—	LS47	LS47	15.91"	25.08"	9.17"	—	None
RS999201	Shock	—	—	S42	S42	12.19"	18.54"	6.35"	—	P01192
RS999202	Shock	—	—	L3	L3	15.3"	23.6"	8.3"	—	P00888
RS999204	Shock	—	—	S4	S4	11.83"	17.88"	6.05"	—	P01192
RS999207	Shock	—	—	S5	S5	14.7"	23.37"	8.67"	—	P01356
RS999208	Shock	—	—	L3	S5	14.84"	23.17"	8.33"	—	P01356
RS999213	Shock	—	—	LS82	S42	12.26"	18.13"	5.87"	—	P01192
RS999214	Shock	—	—	LS23	S4	10.39"	14.55"	4.16"	—	P01192
RS999215	Shock	—	—	L3	LS78	13.18"	19.28"	6.1"	—	None
RS999221	Shock	—	—	LS92	S5	15.3"	23.8"	8.5"	—	P01356
RS999223	Shock	—	—	LS24	S4	9.65"	13.06"	3.41"	—	P01192
RS999226	Shock	—	—	L3	L3	13.3"	19.82"	6.52"	—	None
RS999227	Shock	—	—	LS47	XP7	16.94"	27.23"	10.29"	—	None
RS999229	Shock	—	—	XP5	S4	14.06"	18.01"	3.95"	—	P01192,P00941
RS999233	Shock	—	—	LS39	S5	10.35"	14.4"	4.05"	—	P01356
RS999234	Shock	—	—	LS26	S4	16.53"	26.99"	10.46"	—	P01192
RS999235	Shock	—	—	XP5	S5	10.75"	14.9"	4.15"	—	P01356
RS999236	Shock	—	—	LS26	S4	14.78"	23.89"	9.11"	—	P01192
RS999237	Shock	—	—	LS39	S5	12.17"	18.03"	5.86"	—	P01356
RS999238	Shock	—	—	LS26	S4	17.37"	28.66"	11.29"	—	P01192
RS999239	Shock	—	—	XP4	S4	14.66"	23.11"	8.45"	—	P01192
RS999240	Shock	—	—	LS24	XP12	12.86"	19.22"	6.36"	—	None
RS999241	Shock	—	—	LS24	XP12	13.73"	20.99"	7.26"	—	None
RS999244	Shock	—	—	LS39	LS77	14.31"	21.76"	7.45"	—	None
RS999248	Shock	—	—	LS28	LS28	15.37"	23.97"	8.6"	—	None
RS999250	Shock	—	—	LS23	S4	10.03"	13.78"	3.75"	—	P01192

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS999254	Shock	—	—	LS26	L1	18.52"	30.51"	11.99"	—	None
RS999255	Shock	—	—	XP4	S4	16.15"	26.01"	9.86"	—	P01358
RS999256	Shock	—	—	LS24	XP12	15.36"	24.22"	8.86"	—	None
RS999259	Shock	—	—	LS25	L1	14.11"	21.53"	7.42"	—	None
RS999260	Shock	—	—	LS25	LS29	14.11"	21.53"	7.42"	—	None
RS999261	Shock	—	—	LS26	L1	19.5"	32.46"	12.96"	—	None
RS999262	Shock	—	—	LS47	LS47	15.28"	23.83"	8.55"	—	None
RS999263	Shock	—	—	XP7	S42	10.39"	14.45"	4.06"	—	P01192
RS999264	Shock	—	—	LS26	L1	15.7"	24.34"	8.64"	—	None
RS999265	Shock	—	—	CLEV	S4	11.18"	15.28"	4.1"	—	P01192
RS999266	Shock	—	—	LS26	XP7	17.31"	28.08"	10.77"	—	None
RS999267	Shock	—	—	LS26	L1	14.65"	22.25"	7.6"	—	None
RS999268	Shock	—	—	CLEV	S4	13.93"	20.78"	6.85"	—	P01192
RS999269	Shock	—	—	LS47	LS47	17.03"	27.32"	10.29"	—	None
RS999272	Shock	—	—	L1	S5	10.64"	15.11"	4.47"	—	P01356
RS999273	Shock	—	—	LS26	L1	17.25"	27.96"	10.71"	—	None
RS999274	Shock	—	—	LS47	LS47	16.52"	26.3"	9.78"	—	None
RS999275	Shock	—	—	LS26	XP7	19.54"	32.76"	13.22"	—	None
RS999276	Shock	—	—	LS47	S5	12.02"	17.44"	5.42"	—	P01356
RS999278	Shock	—	—	LS26	XP7	15.64"	25.07"	9.43"	—	None
RS999279	Shock	—	—	XP8	S51	11.27"	16.43"	5.16"	—	P01356
RS999280	Shock	—	—	LS92	S5	13.85"	20.9"	7.05"	—	P01356
RS999281	Shock	—	—	XP12	S5	10.14"	14.18"	4.04"	—	P01356
RS999282	Shock	—	—	LS92	S5	11.65"	16.5"	4.85"	—	P01356
RS999283	Shock	—	—	LS92	S5	13.35"	19.9"	6.55"	—	P01356
RS999284	Shock	—	—	LS28	LS29	14.38"	22.08"	7.7"	—	None
RS999285	Shock	—	—	LS38	LS38	15.82"	24.9"	9.08"	—	None
RS999286	Shock	—	—	LS38	LS38	17.03"	27.33"	10.3"	—	None
RS999287	Shock	—	—	LS38	LS38	18.61"	30.47"	11.86"	—	None
RS999288†	Shock	—	—	LS42	S51	11.03"	15.35"	2.04"	—	P01356
RS999289†	Shock	—	—	LS42	S51	14.07"	21.41"	5.06"	—	P01356
RS999291	Shock	—	—	XP5	S4	9.89"	13.5"	3.61"	—	P01192
RS999292	Shock	—	—	S4	L3	9.68"	13.19"	3.51"	—	P01016,P01192
RS999293	Shock	—	—	S4	L3	13.3"	20.21"	6.91"	—	P01192
RS999294	Shock	—	—	LS23	S4	11.4"	16.76"	5.36"	—	P01192
RS999295	Shock	—	—	LS42	S5	10.73"	15.26"	4.53"	—	P01356
RS999296	Shock	—	—	LS42	S51	13.92"	21.65"	7.73"	—	P01356
RS999297	Shock	—	—	LS47	LS47	18.61"	30.47"	11.86"	—	None
RS999299	Shock	—	—	LS47	XP11	13.86"	20.96"	7.1"	—	None
RS999300	Shock	—	—	LS21	S4	10.36"	14.51"	4.15"	—	P01192
RS999301	Shock	—	—	LS47	XP11	14.85"	23"	8.15"	—	None
RS999303	Shock	—	—	LS44	LS47	15.43"	24.12"	8.69"	—	None
RS999304	Shock	—	—	LS44	LS47	16.96"	27.19"	10.23"	—	None
RS999305	Shock	—	—	LS68	S51	14.57"	22.48"	7.91"	—	P01356
RS999306	Shock	—	—	LS44	LS44	12.31"	17.74"	5.43"	—	None
RS999307†	Shock	—	—	CLEV	S51	13.54"	15.28"	1.82"	—	P01356
RS999308	Shock	—	—	LS47	XP11	15.2"	23.5"	8.3"	—	None
RS999309†	Shock	—	—	CLEV	S5	15.06"	19.44"	2.11"	—	P01356
RS999310	Shock	—	—	LS47	XP11	17.22"	27.58"	10.36"	—	None
RS999311	Shock	—	—	LS47	L1	13.84"	21.1"	7.26"	—	None
RS999312	Shock	—	—	LS44	LS44	10.67"	14.68"	4.01"	—	None
RS999313	Shock	—	—	LS47	L1	12.72"	19.18"	6.46"	—	None
RS999314	Shock	—	—	LS47	L1	13.12"	20.01"	6.89"	—	None
RS999317	Shock	—	—	LS92	S51	18.04"	28.77"	10.73"	—	P01356
RS999318	Shock	—	—	LS23	S4	10.65"	15.19"	4.54"	—	P01192
RS999319	Shock	—	—	LS23	S42	14.27"	22.45"	8.18"	—	P01192
RS999320	Shock	—	—	LS23	S42	13.15"	20.36"	7.21"	—	P01192
RS999321	Shock	—	—	LS27	LS75	15.16"	23.49"	8.33"	—	None
RS999322	Shock	—	—	LS23	S4	10.14"	14.65"	4.51"	—	P01192
RS999323	Shock	—	—	L3	L1	14.15"	21.96"	7.81"	—	None
RS999324	Shock	—	—	LS39	S51	15.48"	24.65"	9.17"	—	P01356

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS999326	Shock	—	—	LS38	S51	14.11"	21.76"	7.65"	—	P01356
RS999327	Shock	—	—	LS39	XP12	13.96"	21.16"	7.2"	—	None
RS999328	Shock	—	—	LS39	XP12	14.72"	22.61"	7.89"	—	None
RS999329	Shock	—	—	LS39	S5	15.75"	25.06"	9.31"	—	P01356
RS999330	Shock	—	—	LS38	XP12	16.11"	25.7"	9.59"	—	None
RS999331	Shock	—	—	LS39	S5	16.63"	27.05"	10.42"	—	P01356
RS999332	Shock	—	—	LS39	XP12	16.85"	27.27"	10.42"	—	None
RS999333	Shock	—	—	L1	L1	15.23"	23.81"	8.58"	—	P00916,P01013
RS999334	Shock	—	—	S4	L1	12.36"	18.62"	6.26"	—	P01134,P00910
RS999337	Shock	—	—	LS3	S4	9.02"	12.39"	3.37"	—	P01192
RS999338	Shock	—	—	L1	L1	12.9"	19.46"	6.55"	—	P00829
RS999339	Shock	—	—	S4	S4	13.54"	21.66"	8.12"	—	P01136
RS999340	Shock	—	—	S5	LS54	14.31"	22.06"	7.75"	—	P01356
RS999341	Shock	—	—	L1	L1	13.16"	20.06"	6.9"	—	P00916
RS999342	Shock	—	—	S5	S5	12.29"	18.85"	6.56"	—	P01356
RS999343	Shock	—	—	LS54	L3	15.65"	24.61"	8.97"	—	None
RS999344	Shock	—	—	L1	L1	14.84"	23.34"	8.49"	—	None
RS999345	Shock	—	—	LS23	S4	10.75"	15.65"	4.9"	—	P01192
RS999346	Shock	—	—	LS23	LS23	12.09"	18.13"	6.04"	—	None
RS999347	Shock	—	—	L1	S4	10.75"	15.91"	5.16"	—	P01192
RS999348	Shock	—	—	L1	L1	11.56"	17.04"	5.48"	—	None
RS999349	Shock	—	—	LS26	S4	11.88"	18.13"	6.25"	—	P01192
RS999350	Shock	—	—	LS50	LS50	15.16"	23.79"	8.63"	—	None
RS999351	Shock	—	—	L1	S4	11.88"	18.13"	6.25"	—	P01192
RS999352	Shock	—	—	L3	S4	13.31"	20.76"	7.45"	—	P01192
RS999353	Shock	—	—	L3	L3	13.92"	21.36"	7.44"	—	None
RS999354	Shock	—	—	L3	S4	13.8"	21.59"	7.79"	—	P01192
RS999355	Shock	—	—	L3	L3	15.52"	24.43"	8.91"	—	None
RS999357	Shock	—	—	L3	S4	14.42"	22.82"	8.4"	—	P01192
RS999358	Shock	—	—	LS43	S6	11.65"	17.32"	5.67"	—	P01482
RS999359	Shock	—	—	LS54	S6	14.67"	23.12"	8.45"	—	P01482
RS999361	Shock	—	—	LS40	LS40	14.53"	22.48"	7.95"	—	None
RS999362	Shock	—	—	S5	LS40	13.73"	21.33"	7.6"	—	P01356
RS999363	Shock	—	—	S5	LS40	12.61"	19.1"	6.49"	—	P01356
RS999364	Shock	—	—	LS50	L1	13.57"	20.72"	7.15"	—	None
RS999365	Shock	—	—	LS44	S4	14.35"	22.71"	8.36"	—	P01192
RS999366	Shock	—	—	LS25	S4	12.75"	19.81"	7.06"	—	P01192
RS999367	Shock	—	—	LS47	LS47	16.41"	25.58"	9.17"	—	None
RS999368	Shock	—	—	XP12	S5	9.86"	13.92"	4.06"	—	P01356
RS999377†	Shock	—	—	CLEV	XP15	13.56"	17.95"	4.24"	—	P01617
RS999379†	Shock	—	—	LS47	LS47	16.06"	25.4"	9.49"	—	None
RS999380	Shock	—	—	CLEV	XP15	16.56"	23"	6.29"	—	P01617
RS999381†	Shock	—	—	LS47	LS47	18.06"	29.4"	11.49"	—	None
RS999384†	Shock	—	—	LS39	LS39	17.64"	28.55"	10.91"	—	None
RS999758†	Strut	SS2	17.38"	—	—	17.88"	23.51"	5.63"	—	P01613
RS999762†	Strut	SS3	13.23"	—	—	13.73"	18.21"	4.48"	—	P01612
RS999763	Strut	SS3	13.08"	—	—	13.5"	18.44"	3.28"	—	P01612
RS999764	Strut	B4	7.12"	—	—	7.62"	12.07"	4.45"	—	P01372
RS999766†	Strut	SS3	13.23"	—	—	13.73"	17.96"	4.23"	—	P01612
RS999767	Strut	SS1	16.2"	—	—	16.7"	21.71"	5.01"	—	P01499
RS999769	Strut	SS2	20.88"	—	—	21.38"	26.39"	5.02"	—	P01499,P01576
RS999773†	Strut	SS3	14.76"	—	—	15.06"	18.77"	3.71"	—	P01614
RS999774	Strut	SS2	15.15"	—	—	15.65"	20.67"	5.02"	—	P01499
RS999777†	Strut	SS2	16.64"	—	—	16.73"	22"	5.27"	—	P01613
RS999782†	Strut	SS2	16.39"	—	—	17.07"	22"	4.93"	—	P01613
RS999784	Strut	SS7	13.34"	—	—	13.84"	17.68"	3.84"	—	P01426,P01415
RS999786	Strut	SS7	18.46"	—	—	18.96"	22.6"	3.74"	—	P01426,P01415
RS999787	Strut	SS3	10.55"	—	—	10.97"	14.98"	4.01"	—	P01614
RS999788	Strut	SS6	15.22"	—	—	15.76"	21.14"	5.38"	—	P01747
RS999789	Strut	SS6	18.15"	—	—	18.64"	24.44"	5.8"	—	P01747
RS999799	Strut	SPEC	18.46"	—	—	18.96"	22.8"	3.84"	—	P01504,P01415,P01510

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.

# MOUNTING & LENGTH SPECIFICATIONS

Part No.	Part Type	STRUT BODY		END CODE		LENGTHS			Spring (Rate)	Parts Pack(s)
		Type	Length	Body	Rod	Comp.	Ext.	Trav.		
RS999801†	Strut	SS3	—	—	—	12.38"	16.75"	4.37"	—	P01356
RS999802†	Strut	SS2	12.98"	—	—	13.32"	18.62"	5.3"	—	P01431
RS999803	Strut	SS2	16.41"	—	—	16.41"	20.87"	4.46"	—	P01499
RS999804	Strut	SS2	17.13"	—	—	17.13"	21.6"	4.51"	—	P01499
RS999806	Strut	SS2	21.56"	—	—	21.81"	26.28"	4.47"	—	P01499,P01576
RS999808	Strut	SS4	14.52"	—	—	14.6"	21.19"	7.19"	—	P01747
RS999830†	Strut	SS7	12.78"	—	XP16	13.57"	16.86"	3.28"	—	P01707,P01415
RS999832†	Strut	SS7	19.54"	—	—	20.36"	23.81"	3.45"	—	P01707,P01415
RS999836	Strut	—	—	—	—	—	—	—	—	
RS999901	Complete Strut Assembly	SS7	13.31"	—	—	13.81"	18.06"	4.25"	—	P01577
RS999902	Complete Strut Assembly	SS3	16.2"	—	—	16.7"	21.71"	5.01"	—	P01141
RS999903	Complete Strut Assembly	SS3	14.17"	—	—	14.67"	21.6"	6.93"	—	P01141
RS999904	Complete Strut Assembly	SS3	16.05"	—	—	16.55"	20.6"	4.05"	—	P01113
RS999905	Complete Strut Assembly	SS3	13.48"	—	—	13.98"	19.75"	5.77"	—	P01113
RS999907	Complete Strut Assembly	SS3	13.61"	—	—	14.11"	18.75"	4.64"	—	P01101
RS999908	Complete Strut Assembly	SS3	13.61"	—	—	14.11"	18.75"	4.64"	—	P01101
RS999909	Complete Strut Assembly	SS3	16.2"	—	—	16.7"	21.71"	5.01"	—	P01101
RS999910	Complete Strut Assembly	SS3	16.69"	—	—	17.19"	22.21"	5.02"	—	P01101
RS999911	Complete Strut Assembly	SS2	16.63"	—	—	17.13"	21.6"	4.47"	—	P01141
RS999912	Complete Strut Assembly	SS3	15.91"	—	—	16.41"	20.87"	4.46"	—	P01141
RS999913†	Complete Strut Assembly	SS3	16.63"	—	—	17.13"	21.98"	4.85"	—	P01101
RS999914	Complete Strut Assembly	SS3	16.63"	—	—	17.13"	21.98"	4.85"	—	P01101
RS999915†	Complete Strut Assembly	SS3	16.63"	—	—	17.13"	21.98"	4.85"	—	P01101
RS999919†	Complete Strut Assembly	SS3	17.3"	—	—	17.88"	23.51"	5.63"	—	P01123
RS999920†	Complete Strut Assembly	SS3	17.3"	—	—	17.88"	23.51"	5.63"	—	P01123
RS999921†	Complete Strut Assembly	SS3	10.78"	—	—	11.29"	15"	3.71"	—	P01101
RS999922	Complete Strut Assembly	SS3	10.55"	—	—	11.05"	15.06"	4.01"	—	P01101
RS999923	Complete Strut Assembly	SS3	13.23"	—	—	13.73"	18.04"	4.31"	—	P01101
RS999924†	Complete Strut Assembly	SS3	16.85"	—	—	17.35"	22"	4.65"	—	P01113
RS999925	Complete Strut Assembly	SS3	15.66"	—	—	16.16"	21.3"	5.14"	—	P01141
RS999926	Complete Strut Assembly	SS2	14.95"	—	—	15.45"	21.2"	5.75"	—	P01141
RS999927	Complete Strut Assembly	SS3	12.99"	—	—	13.49"	19.41"	5.92"	—	P01113
RS999928	Complete Strut Assembly	SS7	13.31"	—	—	13.81"	18.06"	4.25"	—	P01577,P01510
RS999929	Complete Strut Assembly	SS5	15.22"	—	—	15.72"	21.22"	5.5"	—	P01141
RS999930	Complete Strut Assembly	SS5	15.22"	—	—	15.72"	21.22"	5.5"	—	P01141
RS999931	Complete Strut Assembly	SS3	13.23"	—	—	13.73"	18.04"	4.31"	—	P01101
RS999932	Complete Strut Assembly	SS3	16.2"	—	—	16.7"	21.71"	5.01"	—	P01141
RS999933	Complete Strut Assembly	SS3	14.17"	—	—	14.67"	21.6"	6.93"	—	P01141
RS999934	Complete Strut Assembly	SS3	13.48"	—	—	13.98"	19.75"	5.77"	—	P01113
RS999935	Complete Strut Assembly	SS2	16.63"	—	—	17.13"	21.6"	4.47"	—	P01141
RS999936	Complete Strut Assembly	SS3	15.91"	—	—	16.41"	20.87"	4.46"	—	P01141
RS999937†	Complete Strut Assembly	SS3	10.78"	—	—	11.29"	15"	3.71"	—	P01101
RS999938	Complete Strut Assembly	SS3	14.56"	—	—	11.05"	15.06"	4.01"	—	P01101
RS999939†	Complete Strut Assembly	SS3	16.85"	—	—	17.35"	22"	4.65"	—	P01113
RS999940	Complete Strut Assembly	SS3	15.66"	—	—	16.16"	21.3"	5.14"	—	P01141
RS999941	Complete Strut Assembly	SS2	14.95"	—	—	15.45"	21.2"	5.75"	—	P01141
RS999942	Complete Strut Assembly	SS3	12.99"	—	—	13.49"	19.41"	5.92"	—	P01113
RS999943	Complete Strut Assembly	SS5	15.22"	—	—	15.72"	21.22"	5.5"	—	P01141
RS999944	Complete Strut Assembly	SS5	15.22"	—	—	15.72"	21.22"	5.5"	—	P01141
RS999945†	Complete Strut Assembly	SPEC	16.43"	—	—	16.93"	22.24"	5.31"	—	P01141,P01726
RS999946†	Complete Strut Assembly	SPEC	16.43"	—	—	16.93"	22.24"	5.31"	—	P01141,P01726

† Bumper Stop Unit. Dimension Shown at Bumper Contact

‡ Hydraulic Lockout Unit. Dimension Shown is Metal-to-Metal, Subtract Approximately 5/8" (.62) from the Extended Length for Start-of-Engagement.