



RS7MT™

MONOTUBE SHOCKS

INTRODUCING THE ALL NEW RANCHO® RS7MT™ MONOTUBE SHOCK ABSORBER




RS7MT™

MONOTUBE SHOCKS

INTRODUCING THE ALL NEW RANCHO® RS7MT™ MONOTUBE SHOCK ABSORBER




APPLICATION TUNED FOR PRECISION ON-ROAD AND OFF-ROAD HANDLING, RANCHO® RS7MT™ MONOTUBE SHOCKS ARE HIGHLY EFFECTIVE IN THE DISSIPATION OF HEAT, MAKING THEM IDEAL FOR EXTREME OFF-ROAD USE AND LARGER WHEEL AND TIRE PACKAGES. RS7MT™ SHOCKS FEATURE A HARDENED PISTON ROD THAT RESISTS SCUFFS AND CORROSION PLUS AN INTERNAL REBOUND BUMPER TO SMOOTH OUT YOUR RIDE ON ANY TERRAIN.



BRING IT.

FREEDOM TO TACKLE ANY TERRAIN



STRONG AND DURABLE

Features a 14mm hardened chrome piston rod to resist scuffs and corrosion, integrated dirt wiper sealing system that keeps dirt and debris out, double-welded loops at stress areas, double strength closure method and hot form reserve tube. For extra protection, shock boot RS1952 and RS1961 are available for purchase.

HANDLES EXTREME TEMPERATURE CHANGES

Large 2-in. monotube body filled with all-weather fluid allows for cooler operation, increased vehicle control and ability to withstand internal temperatures of -40 to 248°F

SMOOTH PERFORMANCE

Internal rebound bumper and shouldered rubber bushings help reduce noise, vibration and ride harshness while the PTFE-banded piston enhances responsiveness to changing road conditions for an overall smoother ride

PRECISE HANDLING AND PERFORMANCE

Deflective Disc Valving features digressive, linear or progressive turning based on application requirements for precision handling and performance on and off road

REDUCES FADE

Full-floating dividing piston and high-pressure nitrogen gas maintains constant pressure against the hydraulic oil, reducing aeration and shock fade

THE RIGHT FIT

Designed to fit right out of the box, application-specific mounting installs easily with no need for installing sleeves or extra hardware

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
CADILLAC — Escalade				
2000-99	Escalade 4WD	0"	RS77150	—
CHEVROLET — Avalanche 4 W.D.				
2013-07	Avalanche 1500 4WD w/ Rancho® RS6582B System — Exc. Electronic Suspension(Z55), Auto Track & Magnetic Ride Control(Z95)	4"	—	RS77274
2013-07	Avalanche 1500 4WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95) w/o Air Leveling System	0"	RS77784	RS77262
2006-02	Avalanche 2500 4WD	5-6"	RS77055	RS77056
2006-02	Avalanche 1500 4WD — Exc. Electronic Suspension	5-6"	—	—
2006-02	Avalanche 1500 4WD w/Rancho® RS6547B System	4"	RS77268	RS77274
2006-02	Avalanche 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(Z66)	1-2.5"	RS77371 ³¹³	—
2006-02	Avalanche 2500 4WD	1-2.5"	RS77370 ³¹³	—
2006-02	Avalanche 1500 4WD w/ Self Leveling Nivomat Suspension(Z66) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
2006-02	Avalanche 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(Z66)	0"	RS77371	RS77262
2006-02	Avalanche 2500 4WD	0"	—	RS77262
CHEVROLET — Avalanche 2 W.D.				
2013-07	Avalanche 1500 2WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2013-07	Avalanche 1500 2WD w/ Rancho® RS6582 or RS6582B — Exc. Electronic Suspension(Z55), Auto Track & Magnetic Ride Control(Z95) w/o Air Leveling System	4"	—	RS77274
2006-02	Avalanche 1500 2WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(Z66)	1-2.5"	RS77371 ³¹³	—
2006-02	Avalanche 2500 2WD	1-2.5"	RS77370 ³¹³	—
2006-02	Avalanche 1500 2WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(Z66)	0"	RS77371	RS77262
2006-02	Avalanche 1500 2WD w/ Self Leveling Nivomat Suspension(Z66) — Exc. Electronic Suspension(Z55)	0"	RS77371 ³¹³	—
2006-02	Avalanche 2500 2WD	0"	—	RS77262
CHEVROLET — Blazer 4 W.D. Full Size (K & V Models)				
1994-92	4WD Blazer Full Size w/Rancho® RS6426 System	1-2.5"	RS77152 ^{148,313}	—
1994-92	4WD Blazer Full Size	0"	RS77150 ¹⁴⁸	—
1991-81	4WD Blazer Full Size — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1991-81	4WD Blazer Full Size w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)	—	—	—
	~Rear	—	—	RS77112
1991-81	4WD Blazer Full Size — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1991-81	4WD Blazer Full Size w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)	—	—	—
	~Rear	—	—	RS77118
1980-73	4WD Blazer Full Size	0-2"	—	RS77118
1980-69	4WD Blazer Full Size	2.5-4"	—	RS77112
1972-69	4WD Blazer Full Size	0-2"	—	RS77118
CHEVROLET — Blazer 2 W.D. Full Size (C Models)				
1982-73	2WD Blazer Full Size	0-3"	—	RS77118
1982-69	2WD Blazer Full Size w/Rancho® System	1.5"	—	RS77112
1972-69	2WD Blazer Full Size	0-3"	—	RS77113
CHEVROLET — Pickup (1/2 Ton) 4 W.D. (Silverado, K & V Models)				
2021-19	Silverado 1500 4WD Custom Trail Boss, LT Trail Boss	0"	—	RS77198
2021-20	Silverado 1500 4WD; Exc. Custom Trail Boss, LT Trail Boss	0"	RS77845	RS77198
2019	Silverado 1500 (New Body Style) 4WD; Exc. Custom Trail Boss, LT Trail Boss	0"	RS77845	RS77198

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
CHEVROLET — Pickup (1/2 Ton) 4 W.D. (Silverado, K & V Models) continued				
2019	Silverado 1500 LD 4WD (Old Body Style) — Exc. 1500HD, ZX3 Electronic Ride Control Suspension or QuadraSteer Package and All Wheel Drive	0"	RS77830	RS77198
2018-14	Silverado 1500 4WD — Exc. 1500HD, ZX3 Electronic Ride Control Suspension or QuadraSteer Package and All Wheel Drive	0"	RS77830	RS77198
2013-07	Silverado 1500 4WD — Exc. 1500HD, ZX3 Electronic Ride Control Suspension or QuadraSteer Package and All Wheel Drive	0"	RS77784	RS77198
2007-05	Silverado 1500HD 4WD Crew Cab — Exc. Electronic Ride Control	5-6"	RS77055	RS77056
2007-05	Silverado 1500HD 4WD Crew Cab — Exc. Electronic Ride Control	0"	—	RS77274
2007-99	Silverado 1500 4WD w/Rancho® RS6545 System (Classic)	4"	RS77268	RS77269
2007-99	Silverado 1500 4WD (Classic) — Exc. 1500HD & Electronic Ride Control	1-2.5"	RS77371 ³¹³	—
2007-99	Silverado 1500 4WD (Classic) — Exc. 1500HD & Electronic Ride Control	0"	RS77371	RS77198
2003-01	Silverado 1500HD 4WD Crew Cab — Exc. Electronic Ride Control	5-6"	RS77055	RS77056
2003-01	Silverado 1500HD 4WD Crew Cab — Exc. Electronic Ride Control	1-2.5"	RS77370 ³¹³	—
2003-01	Silverado 1500HD 4WD Crew Cab — Exc. Electronic Ride Control	0"	—	RS77274
1999-88	4WD K-1500 (1/2 Ton) w/Rancho® RS6427 System	1-2.5"	RS77152 ¹⁴⁸	—
1999-88	4WD K-1500 (1/2 Ton)	0"	RS77150	—
1987	4WD V-10 (1/2 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)	—	—	—
	~Rear	—	—	RS77112
1987	4WD V-10 (1/2 Ton) w/ O.E. Quad Suspension	—	—	RS77118
1987	4WD V-10 (1/2 Ton) — Exc. O.E. Quad Suspension	0-2"	RS77113 ^{20,02}	—
1986-81	4WD K-10 (1/2 Ton) w/ O.E. Quad Suspension	—	—	RS77118
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Rear	—	—	RS77112
1986-81	4WD K-10 (1/2 Ton) — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1986-81	4WD K-10 (1/2 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Rear	—	—	RS77118
1986-81	4WD K-10 (1/2 Ton) — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1980-73	4WD K-10 (1/2 Ton)	0-2"	—	RS77118
1980-69	4WD K-10 (1/2 Ton)	2.5-4"	—	RS77112
1972-69	4WD K-10 (1/2 Ton)	0-2"	—	RS77118
1968-67	4WD K-10 (1/2 Ton)	3-4"	—	RS77112
CHEVROLET — Pickup (1/2 Ton) 2 W.D. (Silverado, C & R Models)				
2021-20	Silverado 1500 2WD	0"	RS77845	RS77198
2019	Silverado 1500 2WD (New Body Style)	0"	RS77845	RS77198
2019	Silverado 1500 LD 2WD (Old Body Style)	0"	RS77830	RS77198
2018-14	Silverado 1500 2WD — Exc. 1500HD, ZX3 Electronic Ride Control Suspension or QuadraSteer Package	0"	RS77830	RS77198
2013-07	Silverado 1500 2WD — Exc. ZX3 Electronic Ride Control & QuadraSteer Package	0"	RS77784	RS77198
2007-05	Silverado 1500HD 2WD Crew Cab — Exc. Electronic Ride Control	1-2.5"	RS77370 ³¹³	—
2007-05	Silverado 1500HD 2WD (9200 GVW)	0"	—	RS77274
2007-04	Silverado 1500 2WD w/ Torsion Bar Front Suspension — Exc. ZX3 Electronic Ride Control & QuadraSteer Package	0"	RS77371	RS77198
2007-99	Silverado 1500 2WD w/ Coil Spring Front Suspension — Exc. ZX3 Electronic Ride Control & QuadraSteer Package	0"	—	RS77262
2003-01	Silverado 1500HD 2WD — Exc. ZX3 Electronic Ride Control & QuadraSteer Package	1-2.5"	RS77370 ³¹³	—
2003-01	Silverado 1500HD 2WD — Exc. ZX3 Electronic Ride Control & QuadraSteer Package	0"	—	RS77274

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
CHEVROLET — Pickup (1/2 Ton) 2 W.D. (Silverado, C & R Models) continued				
1987	2WD R-10 (1/2 Ton)	1.5"	—	RS77118
1986-73	2WD C-10 (1/2 Ton)	1.5"	—	RS77118
1972-67	2WD C-10 (1/2 Ton) w/ Rear Coil Springs	0"	—	RS77113
1972-63	2WD C-10 (1/2 Ton) w/ Rear Leaf Spring	1.5"	—	RS77118
CHEVROLET — Pickup (3/4 Ton) 4 W.D. (Silverado, K & V Models)				
2018-11	Silverado 2500HD 4WD w/ Rancho® RS6554B or RS6564B Systems	4"	RS77380	RS77381
2020-11	Silverado 2500HD 4WD	0"	RS77377	RS77379
2010-01	Silverado 2500HD 4WD (9200 GVW) — Exc. Autoride & Air Leveling	5-6"	RS77055	RS77056
2010-01	Silverado 2500HD 4WD (9200 GVW)	1-2.5"	RS77370 ³¹³	—
2010-01	Silverado 2500HD 4WD (9200 GVW) — Exc. Autoride & Air Leveling	0"	RS77370	RS77274
2004-99	Silverado 2500 4WD (up to 8600 GVW) — Exc. Quadrateer	5-6"	RS77055	RS77056
2004-99	Silverado 2500 4WD (up to 8600 GVW) — Exc. Quadrateer Package	1-2.5"	RS77370 ³¹³	—
2004-99	Silverado 2500 4WD (up to 8600 GVW) Pickup — Exc. Quadrateer Package	0"	—	RS77274
2000-88	4WD K-2500 (3/4 Ton) - 6 Lug w/Rancho® RS6427 System	1-2.5"	RS77152 ¹⁴⁸	—
2000-88	4WD K-2500 (3/4 Ton)	0"	RS77150	—
1987	4WD V-20 (3/4 Ton) — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1987	4WD V-20 (3/4 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Rear	—	—	RS77112
1987	4WD V-20 (3/4 Ton) — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1987	4WD V-20 (3/4 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Rear	—	—	RS77118
1986-81	4WD K-20 (3/4 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Rear	—	—	RS77112
1986-81	4WD K-20 (3/4 Ton) w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Rear	—	—	RS77118
1986-73	4WD K-20 (3/4 Ton)	0-2"	—	RS77118
1986-69	4WD K-20 (3/4 Ton)	2.5-4"	—	RS77112
1972-69	4WD K-20 (3/4 Ton)	0-2"	—	RS77118
1968-67	4WD K-20 (3/4 Ton)	3-4"	—	RS77112
CHEVROLET — Pickup (3/4 Ton) 2 W.D. (Silverado, C & R Models)				
2018-11	Silverado 2500HD 2WD w/ Rancho® RS6554B or RS6564B Systems	4"	RS77380	RS77381
2020-11	Silverado 2500HD 2WD Pickup	0"	RS77377	RS77379
2010-01	Silverado 2500HD 2WD (9200 GVW) — Exc. Autoride & Air Leveling	5-6"	RS77055	RS77056
2010-01	Silverado 2500HD 2WD (9200 GVW) — Exc. Autoride & Air Leveling	0"	RS77370	RS77274
2004-99	Silverado 2500 2WD (up to 8600 GVW) — Exc. Quadrateer Package	0"	—	RS77274
1989-87	2WD R-20, R-2500 (3/4 Ton)	1.5"	—	RS77118
1986-73	2WD C-20 (3/4 Ton)	1.5"	—	RS77118
1972-67	2WD C-20 (3/4 Ton) w/ Rear Coil Springs	0"	—	RS77113
1972-63	2WD C-20 (3/4 Ton) w/ Rear Leaf Spring	1.5"	—	RS77118
CHEVROLET — Pickup (1 Ton) 4 W.D. (Silverado, K & V Models)				
2018-11	Silverado 3500HD 4WD	4"	RS77380	RS77381
2020-11	Silverado 3500HD 4WD	0"	RS77377	RS77379
2010-01	Silverado 3500 4WD	1-2.5"	RS77370 ³¹³	—
2010-01	Silverado 3500 4WD — Inc. Chassis Cab	0"	RS77370	RS77262
2000-88	4WD K-3500 (1 Ton)	0"	RS77150	—
1968-67	4WD K-30 (1 Ton)	3-4"	—	RS77112
CHEVROLET — Pickup (1 Ton) 2 W.D. (Silverado, C & R Models)				
2018-11	Silverado 3500HD 2WD	4"	RS77380	RS77381
2020-11	Silverado 3500HD 2WD	0"	RS77377	RS77379
2010-01	Silverado 3500 2WD w/ Independent Front Suspension	1-2.5"	RS77370 ³¹³	—

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
CHEVROLET — Pickup (1 Ton) 2 W.D. (Silverado, C & R Models) continued				
2010-01	Silverado 3500 2WD w/ Independent Front Suspension — Inc. Chassis Cab	0"	RS77370	RS77262
1991-87	2WD R-30, R-3500 (1 Ton) — Inc. Crew Cab	0"	—	RS77118
1986-73	2WD C-30 (1 Ton) — Inc. Crew Cab	0"	—	RS77118
1972-67	2WD C-30 (1 Ton) w/157" W.B. w/ Rear Coil Springs	0"	—	RS77113
1972-63	2WD C-30 (1 Ton) w/ Rear Leaf Spring	0"	—	RS77118
CHEVROLET — Pickup LUV (Light Duty) 4 W.D.				
1983-79	4WD Luv Mini Pickup	0-2"	—	RS77113
CHEVROLET — Pickup LUV (Light Duty) 2 W.D.				
1983-72	2WD Luv Mini	0-2"	—	RS77113
CHEVROLET — Pickup Colorado 4 W.D.				
2020-15	Colorado 4WD — Exc. ZR2	0"	—	RS77023
2020-15	All; Exc. ZR2 (Must Reuse OE Springs)	1.75"	LEVEL-IT RS7MT RS77841	RS77023
CHEVROLET — Pickup Colorado 2 W.D.				
2020-15	Colorado 2WD	0"	—	RS77023
2020-15	All (Must Reuse OE Springs)	1.75"	LEVEL-IT RS7MT RS77841	RS77023
CHEVROLET — Pickup S-Models (Light Duty) 4 W.D.				
1993-83	4WD S-10 Mid Size w/Rancho® RS6438 System	3"	RS77118	—
CHEVROLET — Suburban (1/2 Ton) 4 W.D.				
2019-15	Suburban 1500 — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Suburban 1500 4WD w/ Rancho® RS6582 or RS6582B Systems — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Suburban 1500 4WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2006-00	Suburban 1500 4WD w/ Rancho® RS6546 or RS6547 Systems — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	4"	RS77268	RS77274
2006-00	Suburban 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Suburban 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Suburban 1500 4WD w/ Self Leveling Nivomat Suspension (ZW7) - Exc. Electronic Suspension (Z55)	0"	RS77371	—
1999-92	Suburban 1500 4WD w/ Rancho® RS6466 System	1-2.5"	RS77152	—
1999-92	Suburban 1500 4WD	0-1"	RS77150 ¹⁴⁸	—
1991-81	Suburban 4WD w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Rear	—	—	RS77112
1991-81	Suburban 4WD — Exc. O.E. Quad 2 Suspension	.5-4"	—	RS77112
1991-81	Suburban 4WD w/ O.E. Quad Suspension	—	—	—
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Rear	—	—	RS77118
1991-81	Suburban 4WD — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1980-73	Suburban 4WD	0-2"	—	RS77118
1980-69	Suburban 4WD	2.5-4"	—	RS77112
1972-69	Suburban 4WD	0-2"	—	RS77118
1968-67	Suburban 4WD	4"	—	RS77112
CHEVROLET — Suburban (1/2 Ton) 2 W.D.				
2019-15	Suburban 1500 — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Suburban 1500 2WD w/ Rancho® RS6582 or RS6582B — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Suburban 1500 2WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

YEAR	MODEL	HEIGHT	FRONT	REAR
CHEVROLET — Suburban (1/2 Ton) 2 W.D. <i>continued</i>				
2006-00	Suburban 1500 2WD w/ Rancho® RS6246 System — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	4"	RS77268	RS77274
2006-00	Suburban 1500 2WD — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Suburban 1500 2WD — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension (ZW7)	0"	RS77371	RS77262
2006-00	Suburban 1500 2WD w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
1991-73	Suburban 2WD	1.5"	—	RS77118
1972-67	Suburban 2WD	1.5"	—	RS77118
1966-63	Suburban 2WD	1.5"	—	RS77118
CHEVROLET — Suburban (3/4 Ton) 4 W.D.				
2013-00	Suburban 2500 4WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	5-6"	RS77055	RS77056
2013-00	Suburban 2500 4WD w/ Rancho® RS6551 or RS6551B Systems	4"	—	RS77274
2013-00	Suburban 2500 4WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	1-2.5"	RS77370 ³¹³	—
2013-00	Suburban 2500 4WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	0"	—	RS77262
1999-92	Suburban 2500 4WD	0-1"	RS77150 ¹⁴⁸	—
1991-81	Suburban 4WD w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Rear		—	RS77112
1991-81	Suburban 4WD — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1991-81	Suburban 4WD w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Rear		—	RS77118
1991-81	Suburban 4WD — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1980-73	Suburban 4WD	0-2"	—	RS77118
1980-69	Suburban 4WD	2.5-4"	—	RS77112
1972-69	Suburban 4WD	0-2"	—	RS77118
1968-67	Suburban 4WD	4"	—	RS77112
CHEVROLET — Suburban (3/4 Ton) 2 W.D.				
2013-00	Suburban 2500 2WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	5-6"	RS77055	RS77056
2013-00	Suburban 2500 2WD w/ Rancho® RS6551 or RS6551B Systems	4"	—	RS77274
2013-00	Suburban 2500 2WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	1-2.5"	RS77370 ³¹³	—
2013-00	Suburban 2500 2WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & QuadraSteer Package	0"	—	RS77262
1991-73	Suburban 2WD	1.5"	—	RS77118
1972-67	Suburban 2WD	1.5"	—	RS77118
1966-63	Suburban 2WD	1.5"	—	RS77118
CHEVROLET — Suburban 3500HD				
2019-16	All	0"	—	RS77262
CHEVROLET — Tahoe 4 W.D.				
2019-15	Tahoe 4WD — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Tahoe 4WD w/ Rancho® RS6582 or RS6582B System — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Tahoe 4WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2006-00	Tahoe 4WD w/ Rancho® RS6547 or RS6547B Systems — Inc. New Body Style — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	4"	RS77268	RS77274

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

YEAR	MODEL	HEIGHT	FRONT	REAR
CHEVROLET — Tahoe 4 W.D. <i>continued</i>				
2006-00	Tahoe 4WD — Inc. New Body Style — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Tahoe 4WD — Inc. New Body Style — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Tahoe 4WD w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
2000-95	4WD Tahoe 2 Door w/Rancho® RS6426 System — Inc. Old Body Style	1-2.5"	RS77152	—
2000-95	Tahoe 4WD — Inc. Old Body Style	0-1"	RS77150	—
CHEVROLET — Tahoe 2 W.D.				
2019-15	Tahoe 2WD — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Tahoe 2WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2014-07	2WD Tahoe (1/2 Ton) w/ Rancho® RS6582 or RS6582B	4"	—	RS77274
2006-00	Tahoe 2WD w/ Rancho® RS6246 System — Inc. New Body Style	4"	RS77268	RS77274
2006-00	Tahoe 2WD — Inc. New Body Style — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Tahoe 2WD — Inc. New Body Style — Exc. Electronic Suspension(Z55) & Self-Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Tahoe 2WD — Inc. New Body Style w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
CHEVROLET — Van Astro (Mimi) AWD				
2005-90	AWD Astro Van	0"	RS77150 ¹⁴⁸	—
CHEVROLET — Van (1/2 Ton) Express & G Models - Inc. Sportvan				
1995-70	G-10 (1/2 Ton)	0"	—	RS77113
1990-73	G-10 (1/2 Ton)	1.5"	—	RS77118
1969-64	G-10 (1/2 Ton)	0"	—	RS77118
CHEVROLET — Van (3/4 Ton) Express & G Models - Inc. Sportvan				
1995-70	G-20 (3/4 Ton)	0"	—	RS77113
1990-73	G-20 (3/4 Ton)	1.5"	—	RS77118
1969-67	G-20 (3/4 Ton)	0"	—	RS77118
CHEVROLET — Van (1 Ton) Express & G Models - Inc. Sportvan				
1991-70	G-30 (1 Ton) — Exc. Chopped Van w/ Dual Rear Wheels	0"	—	RS77113
DODGE — Pickup (1/2 Ton) 4 W.D. (Ram 1500 & W Models)				
2020-19	Ram 1500 Classic 4WD — Exc. Air Suspension	0"	RS77808	RS77367
2018-09	Ram 1500 4WD — Exc. Air Suspension	0"	RS77808	RS77367
2008-06	Ram 1500 4WD w/ Rancho® RS6579B System	4"	—	RS77056
2008-06	Ram 1500 Mega Cab 4WD	0"	—	RS77269
2008-06	Ram 1500 4WD — Exc. Mega Cab	0"	—	RS77274
2005-02	Ram 1500 4WD	5-6"	—	RS77056
2005-02	Ram 1500 4WD	0"	—	RS77274
2001-00	Ram 1500 4WD w/ Off Road Package	0"	—	RS77198
2001-94	Ram 1500 4WD w/ Rancho® RS6475 or RS6575 Systems w/o Dual Shocks — Exc. Off-Road Package	2-3"	RS77044	RS77198
2001-94	Ram 1500 4WD w/ Rancho® RS6565 or RS6445 Systems w/ Dual Shocks — Exc. Off-Road Package			
	~Rear	2-3"	—	RS77198
	~Front OEM Position		RS77044 ⁰²	—
2001-94	Ram 1500 4WD — Exc. Off-Road Package	0"	RS77197	RS77262
1971-61	4WD W100 (1/2 Ton)	0"	—	RS77118 ²³
DODGE — Pickup (1/2 Ton) 2 W.D. (Ram 1500 & D Models)				
2020-19	Ram 1500 Classic 2WD	0"	—	RS77367
2018-09	Ram 1500 2WD — Exc. Tradesman HD	0"	—	RS77367
2012	1500 Series w/ Tradesman HD Package	0"	—	RS77269
2008-02	Ram 1500 2WD — Exc. Mega Cab	0"	—	RS77274

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ⁰² Quantity two required. ²³ I.D. of shock bushing is smaller than mounting pin & requires lubrication & extra effort for installation.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
DODGE — Pickup (1/2 Ton) 2 W.D. (Ram 1500 & D Models) continued				
2001-94	Ram 1500 2WD	0"	—	RS77262
2000	Ram 1500 2WD w/ Rancho® RS6275 System	4"	—	RS77112
1999-94	Ram 1500 2WD w/ Rancho® RS6274 System	4"	—	RS77112
DODGE — Pickup (3/4 Ton) 4 W.D. (Ram 2500 & W Models)				
2019-14	Ram 2500 4WD w/ Rancho® RS66451R9 System — Exc. Air Suspension	2.5"	RS77044	RS77044
2019-14	Ram 2500 4WD — Exc. Air Suspension and Power Wagon	0"	RS77197	RS77044
2013-09	Ram 2500 4WD w/ Rancho® RS66455B, RS6578B or RS6585B Systems	4"	—	RS77056
2013-09	Ram 2500 4WD w/ Rancho® RS66450R7 System	2.5"	RS77044	RS77269
2013-03	Ram 2500 4WD — Exc. Power Wagon	0"	RS77044	RS77269
2011-09	Ram 2500 Power Wagon 4WD w/ Rancho® RS6584B System	4"	—	RS77056
2009-03	Ram 2500 4WD w/ Rancho® RS6576 System	2"	RS77044	RS77269
2008-04	Ram 2500 Power Wagon 4WD w/ Rancho® RS6577B	4"	—	RS77056
2008-03	Ram 2500 4WD w/ Rancho® RS6579B System	4"	—	RS77056
2002-94	Ram 2500 4WD (8800 GVW) w/ Rancho® RS6446 or RS6566 Systems w/ Dual Shocks			
	~Rear	2"	—	RS77274
	~Front OEM Position		RS77044 ²²	—
2002-94	Ram 2500 4WD (8800 GVW) w/ Rancho® RS6476 or RS6576 Systems w/o Dual Shocks	2"	RS77044	RS77274
2002-94	Ram 2500 4WD (8800 GVW)	0"	RS77044	RS77274
1996-94	Ram 2500 4WD (7700 GVW) w/ Front Dual Shocks			
	~Rear	2"	—	RS77198
	~Front OEM Position		RS77044 ²²	—
1996-94	Ram 2500 4WD (7700 GVW) w/o Dual Front Shocks	2"	RS77044	RS77198
1996-94	Ram 2500 4WD (7700 GVW)	0"	RS77197	RS77262
1971-61	4WD W200 (3/4 Ton)	0"	—	RS77118 ²³
DODGE — Pickup (3/4 Ton) 2 W.D. (Ram 2500 & D Models)				
2019-14	Ram 2500 2WD — Exc. Air Suspension	0"	RS77197	RS77044
2013-03	Ram 2500 2WD	0"	—	RS77269
2002-94	Ram 2500 2WD	0"	—	RS77262
DODGE — Pickup (1 Ton) 4 W.D. (Ram 3500 & W Models)				
2021-13	Ram 3500 4WD — Exc. w/ Rear Auxiliary Air Spring & Chassis Cab	0"	RS77197	RS77269
2013-09	Ram 3500 4WD w/ Rancho RS6578B System	4"	—	RS77056
2013-03	Ram 3500 4WD w/ Rancho RS66450R7 System — Exc. Cab & Chassis	2.5"	RS77044	RS77269
2012-03	Ram 3500 4WD — Exc. Cab & Chassis	0"	RS77044	RS77269
2008-03	Ram 3500 4WD w/ Rancho RS6579B System	4"	—	RS77056
2002-94	Ram 3500 4WD	0"	RS77044	RS77274
1969-65	4WD WM300 (1 Ton) - After Ser. 1286462	0"	RS77119	—
1965-61	4WD WM300 (1 Ton) - Up to Ser. 1286462	0"	RS77119	RS77119
DODGE — Pickup (1 Ton) 2 W.D. (Ram 3500 & D Models)				
2021-13	Ram 3500 2WD — Exc. w/ Rear Auxiliary Air Spring & Chassis Cab	0"	RS77197	RS77269
2012-03	Ram 3500 2WD	0"	—	RS77269
2002-94	Ram 3500 2WD Pickup and Cab & Chassis w/ Independent Front Suspension	0"	—	RS77274
2002-94	Ram 3500 2WD Cab & Chassis w/ Solid Front Axle	0"	RS77044	RS77274
1971-61	2WD D300 (1 Ton)	0"	—	RS77119 ²³
DODGE — Pickup Ram 50 (D-50 Light Duty) 4 W.D.				
1991-82	4WD D50 Mini	0-2"	—	RS77118
DODGE — Raider 4 W.D.				
1989-87	4WD Raider w/ Rear Leaf Springs	0-1"	—	RS77118
DODGE — Van (1/2 Ton) Ram & B Models - Inc. Wagon				
2003-71	B100, B150, B1500 (1/2 Ton)	0"	—	RS77113

²² Quantity two required. ²³ I.D. of shock bushing is smaller than mounting pin & requires lubrication & extra effort for installation.

YEAR	MODEL	HEIGHT	FRONT	REAR
DODGE — Van (3/4 Ton) Ram & B Models - Inc. Wagon				
2003-71	B200, B250, B2500 (3/4 Ton)	0"	—	RS77113
DODGE — Van (1 Ton) Ram & B Models - Inc. Wagon				
2003-71	B300, B350, B3500 (1 Ton) — Exc. w/ 9000 GVW or 4000 lb. Front Axle	0"	—	RS77113 ²³
FORD — Bronco (Full Size Models) 4 W.D.				
1993-80	4WD Bronco	1-3"	—	RS77118 ²²
1979-78	4WD Bronco			
	~Rear	2-4"	—	RS77118 ²²
1979-78	4WD Bronco			
	~Rear	0"	—	RS77113 ²²
1977-66	4WD Bronco After Serial No. 830001	2-4"	—	RS77118 ²²
1977-66	4WD Bronco After Serial No. 830001	0"	—	RS77113 ²²
FORD — Excursion 4 W.D.				
2005-00	Excursion 4WD	4"	RS77264	—
2005-00	Excursion 4WD	0"	RS77267	—
FORD — Excursion 2 W.D.				
2005-00	Excursion 2WD	0"	RS77272	—
FORD — Expedition 4 W.D.				
2002-97	Expedition 4WD — Exc. Four Corner Air Leveling	4"	—	RS77112
FORD — Expedition 2 W.D.				
2002-97	Expedition 2WD — Exc. Rear Air Leveling	0"	—	RS77118
FORD — Pickup (1/2 Ton) 4 W.D. (F Series)				
2020-15	F-150 4WD — Exc. Raptor	0"	RS77836	RS77316
2014	F-150 4WD — Exc. SVT Raptor	0"	RS77836	RS77384
2013-09	F-150 4WD — Exc. SVT Raptor	0"	RS77804	RS77384
1996-81	4WD F-150 (1/2 Ton) w/Rancho® RS6440 System w/ Quad Suspension			
	~Aft of Front Axle (2 reqd)	4"	—	—
	~Forward of Front Axle (2 reqd)		—	—
	~Rear		—	RS77112 ²²
1996-81	4WD F-150 (1/2 Ton) w/Rancho® RS6440 System	4"	—	RS77112 ²²
1996-81	4WD F-150 (1/2 Ton) w/Rancho® RS6570 or RS6571 System	3"	—	RS77112 ²²
1996-80	4WD F-100, F-150 (1/2 Ton)	4"	—	RS77112 ²²
1996-80	4WD F-100, F-150 (1/2 Ton) w/Quad Shocks			
	~Aft of Front Axle (2 reqd)	1-3"	—	—
	~Forward of Front Axle (2 reqd)		—	—
	~Rear		—	RS77112 ²²
1976-70	4WD F-100, F-150 (1/2 Ton)	2-4"	RS77118	—
1969-66	4WD F-100 (1/2 Ton)	3-4"	—	RS77112 ²²
1969-66	4WD F-100 (1/2 Ton)	0"	—	RS77118 ²²
1965-61	4WD F-100 (1/2 Ton)	3-4"	—	—
1965-61	4WD F-100 (1/2 Ton)	0"	—	RS77113 ²²
FORD — Pickup (1/2 Ton) 2 W.D. (F Series)				
1996-85	2WD F-100, F-150 (1/2 Ton)	0"	—	RS77118
1995-93	2WD F-150 Lightning (1/2 Ton)	0"	—	RS77118 ²²
1984-80	2WD F-100, F-150 (1/2 Ton)	0"	—	RS77118 ²²
FORD — Pickup (3/4 Ton) 4 W.D. (F Series)				
2021-17	F-250 Superduty 4WD	0"	RS77042	RS77047A
2020-17	F-250 Superduty 4WD w/Rancho® RS66552B System	5"	RS77044	—
2016-11	F-250 Superduty 4WD w/Rancho® RS66552B or RS66554B Systems	5"	RS77044	—
2016-11	F-250 Superduty 4WD w/Rancho® RS66553B System	2.5"	RS77043	RS77254
2016-11	F-250 Superduty 4WD w/Rancho® RS6524B or RS66551B Systems	4"	RS77044	—
2016-11	F-250 Superduty 4WD w/Rancho® RS6525B System	2.5"	RS77043	RS77254
2016-05	F-250 Superduty 4WD	0"	RS77042	RS77254
2010-05	F-250 Superduty 4WD w/ Rancho® RS6511B or RS6514B Systems	4"	RS77044	—

²³ I.D. of shock bushing is smaller than mounting pin & requires lubrication & extra effort for installation. ²² RS8125 Axle Shim Kit may be Required on Rear Axle for Shock-to-Axle Clearance.

SHOCKS & STRUTS

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
FORD — Pickup (3/4 Ton) 4 W.D. (F Series) continued				
2010-05	4WD F-250 Superduty (3/4 Ton) w/ Rancho® RS6510B or RS6515B Systems	2.5"	RS77043	RS77254
2004-99	4WD F-250 Superduty (3/4 Ton) — Exc. Chassis Cab & Dual Rear Wheels	4"	RS77264	—
2004-99	4WD F-250 Superduty (3/4 Ton) — Exc. Chassis Cab or All Wheel Drive	2.5"	RS77264	RS77254
2004-99	4WD F-250 Superduty (3/4 Ton) — Exc. Chassis Cab	0"	RS77267	RS77254
1999-97	4WD F-250 (3/4 Ton) (Heavy Duty 8600 GW & Up)	0"	—	RS77112 ²²
1996-92	4WD F-250 (3/4 Ton)	0"	—	RS77112 ²²
1996-87	4WD F-250 (3/4 Ton) w/Rancho® System	4"	—	RS77112 ²²
1986-81	4WD F-250 (3/4 Ton) w/Rancho® System	4"	—	RS77112 ²²
1986-80	4WD F-250 (3/4 Ton)	1-3"	—	RS77112 ²²
Mar 77-65	4WD F-250 (3/4 Ton) Built Before Mar. 1, 1977	0"	—	RS77118 ²²
1965-61	4WD F-250 (3/4 Ton)	0"	—	RS77113 ²²
FORD — Pickup (3/4 Ton) 2 W.D. (F Series)				
2021-17	2WD F-250 Superduty (3/4 Ton)	0"	RS77272	—
2016-05	2WD F-250 Superduty (3/4 Ton)	0"	RS77272	—
2004-99	2WD F-250 Superduty (3/4 Ton)	0"	RS77272	RS77254
1996-87	2WD F-250 (3/4 Ton) w/Rancho® RS6586 System	3-4"	—	RS77112
1996-87	2WD F-250 (3/4 Ton) w/Rancho® System	3"	—	RS77112 ²²
FORD — Pickup (1 Ton) 4 W.D. (F Series)				
2021-17	F-350 Superduty (1 Ton) — Exc. Chassis Cab	0"	RS77042	RS77047A
2021-17	F-350 Superduty 4WD w/Rancho® RS66552B System Single Rear Wheels Only	5"	RS77044	—
2016-11	F-350 Superduty 4WD w/Rancho® RS66552B or RS66554B Systems	5"	RS77044	—
2016-11	F-350 Superduty 4WD w/Rancho® RS66553B System	2.5"	RS77043	RS77254
2016-11	F-350 Superduty 4WD w/Rancho® RS6524B System	4"	RS77044	—
	~Single Rear Wheel	—	—	RS77254
	~Dual Rear Wheel	—	—	RS77254
2016-05	4WD F-350 Superduty (1 Ton) w/ Dual Rear Wheels — Exc. Chassis Cab	0"	RS77042	RS77254
2016-05	4WD F-350 Superduty (1 Ton) w/ Single Rear Wheels — Exc. Chassis Cab	0"	RS77042	RS77254
2010-05	4WD F-350 Superduty (1 Ton) w/ Single Rear Wheels w/Rancho® RS6511 or RS6514 Suspension System — Exc. Chassis Cab	4"	RS77044	—
2010-05	4WD F-350 Superduty (1 Ton) w/ Dual Rear Wheels w/Rancho® RS6510 or RS6515 Suspension System — Exc. Chassis Cab	2.5"	RS77043	RS77254
2010-05	4WD F-350 Superduty (1 Ton) w/ Single Rear Wheels w/Rancho® RS6510 Suspension System — Exc. Chassis Cab	2.5"	RS77043	RS77254
2004-99	4WD F-350 Superduty (1 Ton) Rancho® Leveling System	4"	RS77264	—
2004-99	4WD F-350 Superduty (1 Ton) Rancho® Leveling System	2.5"	RS77264	RS77254
2004-99	4WD F-350 Superduty (1 Ton) — Exc. Chassis Cab	0"	RS77267	RS77254
1998-86	4WD F-350 (1 Ton) w/single rear wheels	0-2"	—	RS77112
FORD — Pickup (1 Ton) 2 W.D. (F Series)				
2021-17	2WD F-350 Superduty Pickup — Exc. Chassis Cab	0"	RS77272	—
2016-05	2WD F-350 Superduty (1 Ton) Chassis Cab	0"	RS77272	—
2016-05	2WD F-350 Superduty (1 Ton) — Exc. Chassis Cab	0"	RS77272	—
2004-99	2WD F-350 Superduty (1 Ton) — Exc. Chassis Cab	0"	RS77272	RS77254
1998-80	2WD F-350 (1 Ton)	0"	—	RS77118
FORD — Pickup / Chassis Cab F-450 4 W.D.				
2016-08	F-450 Superduty Series Pickup — Exc. Cab & Chassis	0"	RS77042	RS77254
2004-99	F-450 Superduty 4WD	0"	RS77267	—
FORD — Pickup / Chassis Cab F-450 2 W.D.				
2016-08	F-450 Superduty Series Pickup — Exc. Cab & Chassis	0"	RS77042	RS77254
2004-99	F-450 Superduty 2WD	0"	RS77267	—
1998-Feb 93	F-450 Superduty 2WD	0"	RS77112	—

²² RS8125 Axle Shim Kit may be Required on Rear Axle for Shock-to-Axle Clearance.

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
FORD — Chassis Cab F-550 4 W.D.				
2004-99	F-550 Superduty 4WD	0"	RS77267	—
FORD — Chassis Cab F-550 2 W.D.				
2004-99	F-550 Superduty 2WD	0"	RS77267	—
GMC — Jimmy 4 W.D. Full Size (K & V Models)				
1991-81	4WD Jimmy Full Size w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112
1991-81	4WD Jimmy Full Size w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118
1991-73	4WD Jimmy Full Size	0-2"	—	RS77118
1991-69	4WD Jimmy Full Size	2.5-4"	—	RS77112
1972-69	4WD Jimmy Full Size	0-2"	—	RS77118
GMC — Jimmy 2 W.D. Full Size (C Models)				
1982-73	2WD Jimmy Full Size	0"	—	RS77118
1982-69	2WD Jimmy Full Size	1.5"	—	RS77112
1972-69	2WD Jimmy Full Size	0-3"	—	RS77113
GMC — Pickup (1/2 Ton) 4 W.D. (Sierra, K & V Models)				
2021-19	Sierra 1500 AT4	0"	—	RS77198
2021-20	Sierra 1500 4WD; Exc. AT4, Denali	0"	RS77845	RS77198
2019	Sierra 1500 4WD (New Body Style); Exc. AT4, Denali	0"	RS77845	RS77198
2019	Sierra 1500 Limited (Old Body Style) 4WD	0"	RS77830	RS77198
2018-14	Sierra 1500 4WD — Exc. Z33 Electronic Ride Control Suspension or QuadraSteer Package and All Wheel Drive	0"	RS77830	RS77198
2013-07	Sierra 1500 4WD — Exc. Z33 Electronic Ride Control	0"	RS77784	RS77198
2007-05	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	5-6"	RS77055	RS77056
2007-05	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	1-2.5"	RS77370 ³¹³	—
2007-05	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	0"	—	RS77274
2007-99	Sierra 1500 4WD (Classic) w/ Rancho® RS6545 or RS6545B System	4"	RS77268	RS77269
2007-99	Sierra 1500 4WD (Classic) — Exc. Z33 Electronic Ride Control & 1500HD	1-2.5"	RS77371 ³¹³	—
2007-99	Sierra 1500 4WD (Classic) — Exc. Z33 Electronic Ride Control & 1500HD	0"	RS77371	RS77198
2003-01	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	5-6"	RS77055	RS77056
2003-01	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	1-2.5"	RS77370 ³¹³	—
2003-01	Sierra 1500HD 4WD — Exc. Z33 Electronic Ride Control	0"	—	RS77274
1999-88	4WD K-1500 (1/2 Ton)	1-2.5"	RS77152 ¹⁴⁸	—
1999-88	4WD K-1500 (1/2 Ton)	0"	RS77150	—
1987	4WD V-1500 (1/2 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112
1987	4WD V-1500 (1/2 Ton) — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1987	4WD V-1500 (1/2 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118
1987	4WD V-1500 (1/2 Ton) — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1986-81	4WD K-1500 (1/2 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112

²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required. ³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
GMC — Pickup (1/2 Ton) 4 W.D. (Sierra, K & V Models) continued				
1986-81	4WD K-1500 (1/2 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118
1980-73	4WD K-1500 (1/2 Ton)	0-2"	—	RS77118
1980-69	4WD K-1500 (1/2 Ton)	2.5-4"	—	RS77112
1972-69	4WD K-1500 (1/2 Ton)	0-2"	—	RS77118
1968-67	4WD K-1500 (1/2 Ton)	3-4"	—	RS77112
GMC — Pickup (1/2 Ton) 2 W.D. (Sierra, C & R Models)				
2021-20	Sierra 1500 2WD	0"	RS77845	RS77198
2019	Sierra 1500 2WD (New Body Style)	0"	RS77845	RS77198
2019	Sierra 1500 Limited 2WD (Old Body Style)	0"	RS77830	RS77198
2018-14	Sierra 1500 2WD — Exc. 1500HD, ZX3 Electronic Ride Control Suspension or Quadrateer Package	0"	RS77830	RS77198
2013-07	Sierra 1500 2WD w/ Rancho® RS6583 or RS6583B System	4"	—	RS77269
2013-07	Sierra 1500 2WD — Exc. ZX3 Electronic Ride Control	0"	RS77784	RS77198
2007-05	Sierra 1500HD 2WD — Exc. ZX3 Electronic Ride Control	1-2.5"	RS77370	—
2007-05	Sierra 1500HD 2WD — Exc. ZX3 Electronic Ride Control & Quadrateer Package	0"	—	RS77274
2007-99	Sierra 1500 2WD (Classic) — Exc. ZX3 Electronic Ride Control & 1500HD	0"	—	RS77262
2003-01	Sierra 1500HD 2WD — Exc. Electronic Ride Control	1-2.5"	RS77370	—
2003-01	Sierra 1500HD 2WD — Exc. ZX3 Electronic Ride Control & Quadrateer Package	0"	—	RS77274
1987	2WD R-1500 (1/2 Ton)	1.5"	—	RS77118
1986-73	2WD C-1500 (1/2 Ton)	1.5"	—	RS77118
1972-67	2WD C-1500 (1/2 Ton) w/ Rear Leaf Spring	1.5"	—	RS77118
1972-67	2WD C-1500 (1/2 Ton) w/ Rear Coil Springs	0"	—	RS77113
GMC — Pickup (3/4 Ton) 4 W.D. (Sierra, K & V Models)				
2018-11	Sierra 2500HD 4WD w/ Rancho® RS6554B or RS6564B Systems	4"	RS77380	RS77381
2020-11	Sierra 2500HD 4WD	0"	RS77377	RS77379
2010-01	Sierra 2500HD 4WD (9200 GVW) — Exc. Autoride & Air Leveling	5-6"	RS77055	RS77056
2010-01	Sierra 2500HD 4WD (9200 GVW) — Exc. Autoride & Air Leveling	1-2.5"	RS77370	—
2010-01	Sierra 2500HD 4WD (9200 GVW) — Exc. Autoride & Air Leveling	0"	RS77370	RS77274
2004-99	Sierra 2500 4WD (up to 8600 GVW) — Exc. Quadrateer Package	5-6"	RS77055	RS77056
2004-99	Sierra 2500 4WD (up to 8600 GVW) — Exc. Quadrateer Package	1-2.5"	RS77370	—
2004-99	Sierra 2500 4WD (up to 8600 GVW) — Exc. Quadrateer Package	0"	—	RS77274
2000-88	4WD K-2500 (3/4 Ton) - 6 Lug w/Rancho® RS6427 System	1-2.5"	RS77152 ¹⁴⁸	—
2000-88	4WD K-2500 (3/4 Ton)	0"	RS77150	—
1987	4WD V-2500 (3/4 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112
1987	4WD V-2500 (3/4 Ton) — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1987	4WD V-2500 (3/4 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118
1987	4WD V-2500 (3/4 Ton) — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1986-81	4WD K-2500 (3/4 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112
1986-81	4WD K-2500 (3/4 Ton) w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118

²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints.

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
GMC — Pickup (3/4 Ton) 4 W.D. (Sierra, K & V Models) continued				
1986-73	4WD K-2500 (3/4 Ton)	0-2"	—	RS77118
1986-69	4WD K-2500 (3/4 Ton)	2.5-4"	—	RS77112
1972-69	4WD K-2500 (3/4 Ton)	0-2"	—	RS77118
1968-67	4WD K-2500 (3/4 Ton)	3-4"	—	RS77112
GMC — Pickup (3/4 Ton) 2 W.D. (Sierra, C & R Models)				
2018-11	Sierra 2500HD 2WD w/ Rancho® RS6554B or RS6564B Systems	4"	RS77380	RS77381
2020-11	Sierra 2500HD 2WD	0"	RS77377	RS77379
2010-01	Sierra 2500HD 2WD (9200 GVW) — Exc. Autoride & Air Leveling	5-6"	RS77055	RS77056
2010-01	Sierra 2500HD 2WD (9200 GVW) — Exc. Autoride & Air Leveling	1-2.5"	RS77370	—
2010-01	Sierra 2500HD 2WD (9200 GVW) — Exc. Autoride & Air Leveling	0"	RS77370	RS77274
2004-99	Sierra 2500 2WD (up to 8600 GVW) — Exc. Quadrateer Package	0"	—	RS77274
1989-87	2WD R-2500 (3/4 Ton)	1.5"	—	RS77118
1986-73	2WD C-2500 (3/4 Ton)	1.5"	—	RS77118
1972-67	2WD C-2500 (3/4 Ton) w/ Rear Coil Springs	0"	—	RS77113
1972-63	2WD C-2500 (3/4 Ton) w/ Rear Leaf Spring	1.5"	—	RS77118
GMC — Pickup (1 Ton) 4 W.D. (Sierra, K & V Models)				
2018-11	Sierra 3500HD 4WD	4"	RS77380	RS77381
2020-11	Sierra 3500HD 4WD	1-2.5"	—	RS77379
2020-11	Sierra 3500HD 4WD	0"	RS77377	RS77379
2010-01	Sierra 3500 4WD	1-2.5"	RS77370 ³¹³	—
2010-01	Sierra 3500 4WD (11400 GVW) — Inc. Chassis Cab	0"	RS77370	RS77262
2000-88	4WD K-3500 (1 Ton)	0"	RS77150	—
GMC — Pickup (1 Ton) 2 W.D. (Sierra, C & R Models)				
2018-11	Sierra 3500HD 2WD	4"	RS77380	RS77381
2020-11	Sierra 3500HD 2WD	0"	RS77377	RS77379
2010-01	2WD Sierra 3500 (1 Ton) (11400 GVW) Pickup w/ Ind. Front Suspension	1-2.5"	RS77370 ³¹³	—
2010-01	2WD Sierra 3500 (1 Ton) (11400 GVW) Pickup w/ Ind. Front Suspension — Inc. Chassis Cab	0"	RS77370	RS77262
1991-87	2WD R-3500 (1 Ton) — Inc. Crew Cab	0"	—	RS77118
1986-73	2WD C-3500 (1 Ton) — Exc. Crew Cab	0"	—	RS77118
1972-67	2WD C-3500 (1 Ton) w/157" W.B. w/ Rear Coil Springs	0"	—	RS77113
1972-67	2WD C-3500 (1 Ton) w/ Rear Leaf Spring — Exc. 157" W.B.	0"	—	RS77118
GMC — Pickup Canyon 4 W.D.				
2020-15	Canyon 4WD	0"	—	RS77023
2020-15	All (Must Reuse OE Springs)	1.75"	LEVEL-IT RS7MT RS77841	RS77023
GMC — Pickup Canyon 2 W.D.				
2020-15	Canyon 2WD	0"	—	RS77023
2020-15	All (Must Reuse OE Springs)	1.75"	LEVEL-IT RS7MT RS77841	RS77023
GMC — Pickup S Models (Light Duty) 4 W.D. (Sonoma)				
1993-83	4WD S-15 Sonoma Mid Size w/Rancho® System	3"	RS77118	—
GMC — Suburban 4 W.D.				
1999-92	Suburban 1500 4WD w/ Rancho® RS6466 System	1-2.5"	RS77152 ¹⁴⁸	—
1999-92	Suburban 1500 4WD	0-1"	RS77150	—
1999-92	Suburban 2500 4WD	0-1"	RS77150 ¹⁴⁸	—
1991-81	4WD Suburban w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	2.5-4"	RS77118 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77112
1991-81	Suburban 1500 4WD — Exc. O.E. Quad Suspension	2.5-4"	—	RS77112
1991-81	4WD Suburban w/ O.E. Quad Suspension			
	~Inner Front (Long Shock) at Lower Mounting (2 Req'd)	0-2"	RS77113 ^{20,02}	—
	~Outer Front (Short Shock) at Lower Mounting (2 Req'd)		—	—
	~Rear		—	RS77118

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints. ²⁰ Additional washers may be required to increase space between shocks on lower mount. ⁰² Quantity two required.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
GMC — Suburban 4 W.D. <i>continued</i>				
1991-81	Suburban 1500 4WD — Exc. O.E. Quad Suspension	0-2"	—	RS77118
1980-73	Suburban 1500 4WD	0-2"	—	RS77118
1980-69	Suburban 1500 4WD	2.5-4"	—	RS77112
1972-69	Suburban 1500 4WD	0-2"	—	RS77118
GMC — Suburban 2 W.D. (Light Trucks)				
1991-73	2WD Suburban	0-3"	—	RS77118
1972-67	2WD Suburban	0-3"	—	RS77118
1966-63	2WD Suburban	0-3"	—	RS77118
GMC — Van Safari (Mini) AWD				
2005-90	AWD Safari Van	0"	RS77150 ¹⁴⁸	—
GMC — Van (1/2 Ton) Savana & G Models - Inc. Rally & Vandura				
1995-70	G-1500 (1/2 Ton)	0"	—	RS77113
1990-73	G-1500 (1/2 Ton)	1.5"	—	RS77118
1969-64	G-1500 (1/2 Ton)	0"	—	RS77118
GMC — Van (3/4 Ton) Savana & G Models - Inc. Rally & Vandura				
1995-70	G-2500 (3/4 Ton)	0"	—	RS77113
1990-73	G-2500 (3/4 Ton)	1.5"	—	RS77118
1969-67	G-2500 (3/4 Ton)	0"	—	RS77118
GMC — Van (1 Ton) Savana & G Models - Inc. Rally & Vandura				
1991-70	G-3500 (1 Ton) — Exc. Dual Rear Wheels	0"	—	RS77113
GMC — Yukon XL (1/2 Ton) 4 W.D.				
2018-15	Yukon XL 1500 — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Yukon XL 1500 4WD w/ Rancho® RS6582 or RS6582B — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Yukon XL 1500 4WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2006-00	Yukon XL 1500 4WD w/Rancho® RS6546 or RS6547 System	4"	RS77268	RS77274
2006-00	Yukon XL 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Yukon XL 1500 4WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Yukon XL 1500 4WD w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
GMC — Yukon XL (1/2 Ton) 2 W.D.				
2018-15	Yukon XL 1500 — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Yukon XL 1500 2WD w/ Rancho® RS6582 or RS6582B System — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Yukon XL 1500 2WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2006-00	Yukon XL 1500 2WD w/Rancho® RS6246 System	4"	RS77268	RS77274
2006-00	Yukon XL 1500 2WD — Exc. Electronic Suspension (Z55) & Self Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Yukon XL 1500 2WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Yukon XL 1500 2WD w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
GMC — Yukon XL (3/4 Ton) 4 W.D.				
2013-00	Yukon XL 2500 4WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	5-6"	RS77055	RS77056
2013-00	Yukon XL 2500 4WD w/ Rancho® RS6551 or RS6551B Systems	4"	—	RS77274
2013-00	Yukon XL 2500 4WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	1-2.5"	RS77370 ³¹³	—
2013-00	Yukon XL 2500 4WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	0"	—	RS77262

¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints.

³¹³ Not for use with aftermarket shock spacers or relocation brackets.

YEAR	MODEL	HEIGHT	FRONT	REAR
GMC — Yukon XL (3/4 Ton) 2 W.D.				
2013-00	Yukon XL 2500 2WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	5-6"	RS77055	RS77056
2013-00	Yukon XL 2500 2WD w/ Rancho® RS6551 or RS6551B Systems	4"	—	RS77274
2013-00	Yukon XL 2500 2WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	1-2.5"	RS77370 ³¹³	—
2013-00	Yukon XL 2500 2WD — Exc. Electronic Suspension (Z55), Magnetic Ride Control (Z95) & QuadraSteer Package	0"	—	RS77262
GMC — Yukon 4 W.D.				
2018-15	Yukon 4WD — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2018-15	Yukon 4WD w/ Z85 Increased Capacity Chassis — Exc. Z95 Magnetic Ride Control	0"	RS77830	—
2014-07	Yukon 4WD w/ Automatic Transmission w/ Rancho® RS6582 or RS6582B — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2014-07	Yukon 4WD — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	0"	RS77784	RS77262
2006-00	Yukon 4WD New Body Style w/Rancho® RS6547 or RS6547B System	4"	RS77268	RS77274
2006-00	Yukon 4WD New Body Style — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Yukon 4WD New Body Style — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Yukon 4WD New Body Style w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
2000-95	4WD Yukon 4 Door Old Body Style	0-1"	RS77150	—
2000-92	4WD Yukon 2 Door Old Body Style w/Rancho® RS6426 System	1-2.5"	RS77152 ¹⁴⁸	—
2000-92	4WD Yukon 2 Door Old Body Style	0-1"	RS77150	—
GMC — Yukon 2 W.D.				
2018-15	Yukon 2WD — Exc. Z95 Magnetic Ride Control & Z85 Increased Capacity Chassis	0"	RS77830	RS77262
2014-07	Yukon 2WD — Exc. Electronic Suspension(Z55), Magnetic Ride Control(Z95) & Police Package	0"	RS77784	RS77262
2014-07	Yukon 2WD w/ Rancho® RS6582 or RS6582B — Exc. Electronic Suspension(Z55) & Magnetic Ride Control(Z95)	4"	—	RS77274
2006-00	2WD Yukon 4 Door — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	1-2.5"	RS77371 ³¹³	—
2006-00	Yukon 2WD — Exc. Electronic Suspension(Z55) & Self Leveling Nivomat Suspension(ZW7)	0"	RS77371	RS77262
2006-00	Yukon 2WD w/ Self Leveling Nivomat Suspension(ZW7) — Exc. Electronic Suspension(Z55)	0"	RS77371	—
2001-00	Yukon 2WD w/ Rancho® RS6246 System	4"	RS77268	RS77274
HUMMER — H2				
2009-03	H2	0"	—	RS77269
2009-00	H2 — Inc. SUT Models	5-6"	—	RS77056
INTERNATIONAL — Scout				
1980-71	Scout, Scout II, Travelall	2-3"	—	RS77118
1980-71	Scout, Scout II, Travelall	0"	—	RS77113
1971-61	Scout 80, 800 All	3-4"	RS77113	—
1971-61	Scout 80, 800 All	0-2"	RS77119	—
ISUZU — Pickup Series 4 W.D.				
1995-91	4WD Pickup	0"	—	RS77113
ISUZU — Pickup Series 2 W.D.				
1995-91	2WD Pickup	0"	—	RS77113
JEEP — CJ Series 4 W.D.				
1986-82	4WD CJ5, CJ7	2.5"	RS77113	RS77118
1986-82	4WD CJ5, CJ7	0-1.5"	RS77113	RS77113

³¹³ Not for use with aftermarket shock spacers or relocation brackets. ¹⁴⁸ Do not use with after market (stamped steel housing) ball joints. Use only with OE style (forged housing construction) upper ball joints.

SHOCKS & STRUTS

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
JEEP — CJ Series 4 W.D. continued				
1981-76	4WD CJ5, CJ7	2.5"	RS77119 ²¹	RS77118
1981-76	4WD CJ5, CJ7	0-1.5"	RS77119	RS77113
1975-73	4WD CJ5, CJ6	0"	RS77119	RS77119
1975-53	4WD CJ5, CJ6	2-3"	RS77113	RS77113
1972-53	4WD CJ5, CJ6	0"	RS77119	RS77119
1963-41	4WD CJ2A, CJ3A, CJ3B	2-3"	—	RS77113
1963-41	4WD CJ2A, CJ3A, CJ3B	0"	RS77119	RS77119
JEEP — CJ Series 2 W.D.				
1975-72	2WD CJ5, CJ6	2.5"	RS77113	RS77113
JEEP — DJ Dispatcher 4 W.D.				
1974-72	4WD DJ5	2.5"	RS77113	RS77113
JEEP — DJ Dispatcher 2 W.D.				
1974-72	2WD DJ5	2.5"	RS77113	RS77113
1974-65	2WD DJ5	0"	RS77119	RS77119
1965-49	2WD DJ3	0"	—	RS77119
JEEP — Grand Wagoneer 4 W.D.				
1991-84	4WD Grand Wagoneer	2.5"	RS77118	RS77118
1991-84	4WD Grand Wagoneer	0"	RS77113	RS77113
JEEP — Jeepster (Inc. Commando) 4 W.D.				
1973-69	4WD Jeepster, C101, Commando	2-3"	RS77113	RS77118
1973-69	4WD Jeepster, C101, Commando	0"	RS77119	RS77113
1962-47	4WD Utility Wagon	1.5-3"	RS77119	—
1962-47	4WD Utility Wagon	0"	—	RS77113
JEEP — M Series (Military Jeep) 4 W.D.				
1975-53	4WD M38A1	2-3"	RS77113	RS77113
1975-53	4WD M38A1	0"	RS77119	RS77119
1963-41	4WD MB, M38	2-3"	RS77119	RS77113
1963-41	4WD MB, M38	0"	—	RS77119
JEEP — Pickup Comanche (MJ Series) 4 W.D.				
1992-91	4WD Comanche Mid Size	0"	—	RS77118
1992-86	4WD Comanche Mid Size - 2" Max. Ht. Rear	3"	—	RS77118
1990-86	4WD Comanche Mid Size	0"	—	RS77118
JEEP — Pickup Comanche (MJ Series) 2 W.D.				
1992-91	2WD Comanche Mid Size	0"	—	RS77118
1992-86	2WD Comanche Mid Size - 2" Max. Ht. Rear	3"	—	RS77118
1990-87	2WD Comanche Mid Size	0"	—	RS77118
JEEP — Pickup Gladiator (JT Series) 4 W.D.				
2021-20	4WD Gladiator; Exc. Mojave	0"	—	RS77069
2021-20	4WD Gladiator; Exc. Mojave	2-3"	RS77065 RS77067 ¹¹⁶⁹	—
JEEP — Pickup Gladiator (J Series) 4 W.D.				
1973-65	4WD Gladiator	2-3"	—	RS77118
1973-65	4WD Gladiator	0"	RS77113	RS77113
1962-47	4WD Utility Truck	1.5-3"	RS77119	—
1962-47	4WD Utility Truck	0"	—	RS77113
JEEP — Pickup Pioneer (J Series) 4 W.D.				
1986-74	4WD J10 (1/2 Ton), J20 (3/4 Ton)	2-3"	RS77118	RS77118
1986-74	4WD J10 (1/2 Ton), J20 (3/4 Ton)	0"	RS77113	RS77113
JEEP — Scrambler 4 W.D.				
1985-82	4WD Scrambler	2.5"	RS77113	RS77118
1985-82	4WD Scrambler	0-1.5"	RS77113	RS77113
1981	4WD Scrambler	2"	RS77119	RS77118
1981	4WD Scrambler	2.5"	RS77119 ²¹	RS77118
1981	4WD Scrambler	0-1.5"	RS77119	RS77113
JEEP — Wagoneer 4 W.D.				
1983-76	4WD Wagoneer Full Size	2-3"	RS77118	RS77118

²¹ On 1976-81 CJ5, CJ7, Scrambler 21/2" Suspension System RS5119 & RS99119 may be too short and you must use RS5113 & RS99113 with Bump Stop Kit No. RS8203. ¹¹⁶⁹ Extended Travel Shock - Requires Aftermarket Front Driveshaft.

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
JEEP — Wagoneer 4 W.D. continued				
1983-76	4WD Wagoneer Full Size	0"	RS77113	RS77113
1975	4WD Wagoneer Full Size	2-3"	RS77118	RS77119
1975	4WD Wagoneer Full Size	0"	RS77113	—
1974	4WD Wagoneer Full Size	2-3"	RS77118	RS77113
1974	4WD Wagoneer Full Size	0"	RS77113	RS77119
1973-63	4WD Wagoneer Full Size	2-3"	—	RS77118
1973-63	4WD Wagoneer Full Size	0"	RS77113	RS77113
JEEP — Wrangler (JK Series)				
2018-07	Wrangler JK 4WD	0-2"	RS77326	RS77328
2018-07	Wrangler JK w/ Rancho® RS6509, RS6509B, RS6517, RS6517B, RS66102B, RS66103, RS66103B, RS66104, RS66104B, RS66105, RS66105B, RS66114B or RS66115B Systems	4"	RS77331	RS77330
2016-07	Wrangler JK w/ Rancho® RS6507 or RS6507B Systems	4"	—	RS77330
2018-07	Wrangler JK w/ Rancho® RS66106B, RS66107, RS66107B, RS66110 or RS66110B Systems	3"	—	RS77330
2010-07	Wrangler JK 2WD	0-2"	RS77326	RS77328
JEEP — Wrangler (JL Series)				
2021-18	Wrangler JL Rubicon 4WD	2"	RS77065	RS77066
2021-18	Wrangler JL All — Exc. Rubicon 4WD	3.5"	RS77065	RS77066
2021-18	Wrangler JL All — Rubicon 4WD w/ Rancho RS66123B or RS66125B Systems	3.5"	RS77067 ¹¹⁶⁹	RS77068 ¹¹⁶⁹
2021-18	Wrangler JL All — Exc. Rubicon 4WD w/ Rancho RS66123B or RS66125B Systems	4.5"	RS77067 ¹¹⁶⁹	RS77068 ¹¹⁶⁹
JEEP — Wrangler (YJ Series)				
1995-87	Wrangler YJ 4WD w/Rancho® 2.5" System	2.5"	—	RS77118
1995-87	Wrangler YJ 4WD	0-1.5"	—	RS77113
MAZDA — Pickup B Series 4 W.D.				
2008-98	4WD B3000, B4000	0"	—	RS77112
MAZDA — Pickup B Series 2 W.D.				
2008-01	2WD B3000, B4000 w/ Torsion Bar Front Suspension — Inc. Dual Sport	0"	—	RS77112
MINI — Cooper				
1991-83	All w/ Rear Leaf Springs — Exc. Montero Sport	0-1"	—	RS77118
MINI — Mighty Max 4 W.D.				
1994-83	All	0-2"	—	RS77118
NISSAN — Frontier 4 W.D.				
2004-00	Frontier Crew Cab 4WD	0"	—	RS77113
2004-98	Frontier 4WD — Exc. Crew Cab	0"	—	RS77113
NISSAN — Frontier 2 W.D.				
2004-98	Frontier 2WD — Exc. Crew Cab & Desert Runner	0"	—	RS77113
NISSAN — Pickup Series 4 W.D.				
1997-July 86	4WD Hardbody Pickup	0-1.5"	—	RS77113
1993-July 86	4WD Hardbody w/Rancho® 2.5" System Only	2.5"	—	RS77113
1986-83	4WD Pickup All	0-1.5"	—	RS77113
NISSAN — Pickup Series 2 W.D.				
1997-July 86	2WD Hardbody Pickup	0-1.5"	—	RS77113
1994-July 86	2WD Hardbody w/Rancho® 2.5" System Only	2.5"	—	RS77113
PLYMOUTH — PB Models (1/2 Ton) Van				
1983-74	PB100, PB150, Voyager (1/2 Ton)	0"	—	RS77113 ²³
PLYMOUTH — PB Models (3/4 Ton) Van				
1983-74	PB200, PB250, Voyager (3/4 Ton)	0"	—	RS77113 ²³
PLYMOUTH — Trailduster 4 W.D.				
1981-76	4WD Trailduster	0-2"	RS77113 ²³	—
1975-74	4WD Trailduster	0"	RS77113 ²³	—
SUZUKI — Samurai 4 W.D.				
1995-85	4WD Samurai	1.5"	—	RS77119

¹¹⁶⁹ Extended Travel Shock - Requires Aftermarket Front Driveshaft. ²³ I.D. of shock bushing is smaller than mounting pin & requires lubrication & extra effort for installation.

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

SHOCKS & STRUTS

YEAR	MODEL	HEIGHT	FRONT	REAR
TOYOTA — 4Runner				
2020-03	4Runner — Exc. Delphi REAS Suspension System, Kinetic Dynamic Suspension System	0"	RS77777	RS77305
TOYOTA — FJ Cruiser				
2014-07	All	0"	RS77777	RS77305
TOYOTA — Land Cruiser				
1989-88	4WD FJ60 Landcruiser w/ Rear (5/8) Dia. Mount	0"	—	RS77118
1984-75	4WD FJ40 Landcruiser	2-3"	RS77113	—
1984-75	4WD FJ40 Landcruiser	0"	RS77119	RS77118
1974-64	4WD FJ40 Landcruiser	2-3"	RS77113	RS77118
1974-64	4WD FJ40 Landcruiser	0"	RS77119	RS77113
TOYOTA — Pickup (Compact) Series 4 W.D.				
1983-79	4WD Mini Pickup	4"	—	RS77112
1983-79	4WD Mini Pickup	1.5-3"	—	RS77112
TOYOTA — Pickup Tacoma 4 W.D.				
2020-05	Tacoma 4WD	0"	RS77777	RS77319
TOYOTA — Pickup Tacoma 2 W.D.				
2020-16	Tacoma 2WD — All	0"	RS77777	RS77319
2015-05	Tacoma 2WD w/ Pre Runner or TRD Off Road Package	0"	RS77777	RS77319
TOYOTA — Pickup Tundra 4 W.D.				
2020-07	Tundra 4WD	0"	—	RS77324
TOYOTA — Pickup Tundra 2 W.D.				
2020-07	Tundra 2WD	0"	—	RS77324
U.S. POSTAL VEHICLE — FJ Series 2 W.D.				
—	2WD AM General Model FJ-8A	0"	RS77119	RS77119
—	2WD AM General Model FJ-9	0"	RS77113	RS77113

STEERING STABILIZERS

YEAR	MODEL	TYPE	RS7MT SHOCK	BRACKET
CHEVROLET — Avalanche 4 W.D.				
2006-02	Avalanche 2500 4WD	SINGLE	RS77407	RS5548
CHEVROLET — Avalanche 2 W.D.				
2007-02	Avalanche 2500 2WD	SINGLE	RS77407	RS5548
CHEVROLET — Blazer 4 W.D. Compact - Inc. S Models				
2000-95	4WD Blazer w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1997-95	4WD Blazer w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1994-83	4WD Blazer (S Models) Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1994-83	4WD Blazer (S Models) Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
CHEVROLET — Blazer 4 W.D. Full Size (K & V Models)				
1994-92	4WD Blazer Full Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1994-92	4WD Blazer Full Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
CHEVROLET — Pickup (1/2 Ton) 4 W.D. (Silverado, K & V Models)				
2007-05	Silverado 1500HD 4WD Crew Cab	SINGLE	RS77407	RS5548
2003-01	Silverado 1500HD 4WD Crew Cab	SINGLE	RS77407	RS5548
1998-88	4WD K-1500 (1/2 Ton) w/ Rancho® RS6443 System	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) w/ Rancho® RS6543 System	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) — Inc. Z71 w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) — Inc. Z71 w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
CHEVROLET — Pickup (1/2 Ton) 2 W.D. (Silverado, C & R Models)				
2007-05	Silverado 1500HD 2WD Crew Cab (Classic)	SINGLE	RS77407	RS5548
2003-01	Silverado 1500HD 2WD Crew Cab	SINGLE	RS77407	RS5548
CHEVROLET — Pickup (3/4 Ton) 4 W.D. (Silverado, K & V Models)				
2008-01	Silverado 2500HD 4WD (9200 GVW) Pickup	SINGLE	RS77407	RS5548
2004-99	Silverado 2500 4WD (up to 8600 GVW) Pickup	SINGLE	RS77407	RS5548
2000-88	4WD K-2500 (3/4 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
2000-88	4WD K-2500 (3/4 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1998-88	4WD K-2500 (3/4 Ton) - 6 Lug w/ Rancho® RS6443 System	SINGLE	RS77401	—
1998-88	4WD K-2500 (3/4 Ton) - 8 Lug w/ Rancho® RS6469 System	SINGLE	RS77401	—
CHEVROLET — Pickup (3/4 Ton) 2 W.D. (Silverado, C & R Models)				
2008-01	2WD Silverado 2500HD (3/4 Ton) (9200 GVW) Pickup w/o O.E. Mounts	SINGLE	RS77407	RS5548
CHEVROLET — Pickup (1 Ton) 4 W.D. (Silverado, K & V Models)				
2000-88	4WD K-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
2000-88	4WD K-3500 (1 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1998-88	4WD K-3500 (1 Ton) - 8 Lug w/ Rancho® RS6469 System	SINGLE	RS77401	—
CHEVROLET — Pickup S-Models (Light Duty) 4 W.D.				
2004-82	4WD S-10 Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1997-82	4WD S-10 Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
CHEVROLET — Suburban 4 W.D.				
2002-00	4WD Suburban (3/4 Ton) (Up To 8600 GVW)	SINGLE	RS77407	RS5548
1998-92	4WD Suburban (3/4 Ton) - 8 lug w/ Rancho® RS6467 System	SINGLE	RS77401	—
1997-92	4WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
CHEVROLET — Tahoe 4 W.D.				
2000-95	4WD Tahoe w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1998-95	4WD Tahoe w/ Rancho® RS6555 or RS6568 Suspension	SINGLE	RS77401	—
1998-95	4WD Tahoe w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
DODGE — Pickup (1/2 Ton) 4 W.D. (Ram 1500 & W Models)				
2008-06	4WD Ram 1500 Mega Cab w/ O.E. Steering Stabilizer — Exc. IFS models	SINGLE	RS77412	—
2008-06	4WD Ram 1500 Mega Cab — Exc. IFS models	DUAL	RS77412	RS64450

RANCHO RS7MT™ APPLICATION CHART

RANCHO RS7MT™ APPLICATION CHART

STEERING STABILIZERS

YEAR	MODEL	TYPE	RS7MT SHOCK	BRACKET
DODGE — Pickup (1/2 Ton) 4 W.D. (Ram 1500 & W Models) continued				
2001-00	4WD Ram 1500 (1/2 Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	RS77412	—
DODGE — Pickup (3/4 Ton) 4 W.D. (Ram 2500 & W Models)				
2013-09	4WD Ram 2500 (3/4 Ton) — Inc. Mega Cab, Power Wagon & Regular/Standard Cab Models w/ OEM Steering Stabilizer part numbers 52122370AB & 5154661AA	SINGLE	RS77416	—
2013-03	4WD Ram 2500 — Inc. Mega Cab, Power Wagon & Regular/ Standard Cab Models	DUAL	RS77416	RS64450
2008-00	4WD Ram 2500 (3/4 Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	RS77412	—
1993-60	4WD W200, W250 (3/4 Ton)			
DODGE — Pickup (1 Ton) 4 W.D. (Ram 3500 & W Models)				
2013-03	4WD Ram 3500 (1 Ton) — Inc. Mega Cab, Power Wagon & Regular/ Standard Cab Models w/ OEM Steering Stabilizer part numbers 52122370AB & 5154661AA	SINGLE	RS77416	—
2008-00	4WD Ram 3500 (1 Ton) w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	RS77412	—
DODGE — Pickup (1 Ton) 2 W.D. (Ram 3500 & D Models)				
2008-00	2WD Ram 3500 (1 Ton) w/ Solid Front Axle w/ O.E. Steering Stabilizer w/ OEM number 52106909AB, AC & AD	SINGLE	RS77412	—
FORD — Expedition 4 W.D.				
2002-97	Expedition 4WD	SINGLE	RS77401	RS5567
FORD — Expedition 2 W.D.				
1997	Expedition 2WD	SINGLE	RS77401	RS5567
FORD — Pickup (1/2 Ton) 4 W.D. (F Series)				
2004	4WD F-150 (1/2 Ton) Heritage Series (Old Body Style)	SINGLE	RS77401	RS5567
2003-97	4WD F-150 (1/2 Ton) — Inc. SuperCrew	SINGLE	RS77401	RS5567
FORD — Pickup (1/2 Ton) 2 W.D. (F Series)				
2001-97	2WD F-150 (1/2 Ton) — Inc. SuperCrew	SINGLE	RS77401	RS5567
FORD — Pickup (3/4 Ton) 4 W.D. (F Series)				
2020-08	4WD F-250 Superduty w/ Rancho® Kit RS6524B, RS6525B or RS66551B System	DUAL	RS77405	RS64551 ^{320,321}
2007-05	4WD F-250 Superduty w/ Rancho® RS6510 or RS6511 System	DUAL	RS77405	RS64551 ^{320,321}
1999-97	4WD F-250 LD (3/4 Ton)	SINGLE	RS77401	RS5567
FORD — Pickup (1 Ton) 4 W.D. (F Series)				
2020-08	4WD F-350 Superduty Pickup w/ Rancho® Kit RS6524B or RS6525B System	DUAL	RS77405	RS64551 ^{320,321}
2007-05	4WD F-350 Superduty Pickup w/ Rancho® RS6510 or RS6511 System	DUAL	RS77405	RS64551 ^{320,321}
1979	4WD F-350 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77405	—
GMC — Jimmy 4 W.D. Compact - Inc. S Models				
2000-95	4WD Jimmy w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1997-95	4WD Jimmy w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1994-83	4WD Jimmy (S Models) Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1994-83	4WD Jimmy (S Models) Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
GMC — Pickup (1/2 Ton) 4 W.D. (Sierra, K & V Models)				
2007-05	4WD Sierra 1500HD (1/2 Ton) Crew Cab (Classic)	SINGLE	RS77407	RS5548
2003-01	4WD Sierra 1500HD (1/2 Ton) Crew Cab	SINGLE	RS77407	RS5548
1998-88	4WD K-1500 (1/2 Ton) w/ Rancho® RS6443 System	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) w/ Rancho® RS6543 System	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) — Inc. Z71 w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1998-88	4WD K-1500 (1/2 Ton) — Inc. Z71 w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526

³²⁰ Requires at least 2" tall front bump stop spacers. ³²¹ Requires a 2" minimum lift to use; Stabilizer protective boots can not be used.

YEAR	MODEL	TYPE	RS7MT SHOCK	BRACKET
GMC — Pickup (1/2 Ton) 2 W.D. (Sierra, C & R Models)				
2007-05	2WD Sierra 1500HD (1/2 Ton) Crew Cab (Classic)	SINGLE	RS77407	RS5548
2003-01	Sierra 1500HD 2WD (1/2 Ton) Crew Cab	SINGLE	RS77407	RS5548
GMC — Pickup (3/4 Ton) 4 W.D. (Sierra, K & V Models)				
2008-01	Sierra 2500HD 4WD (9200 GVW)	SINGLE	RS77407	RS5548
2004-99	Sierra 2500 4WD (up to 8600 GVW)	SINGLE	RS77407	RS5548
2000-88	4WD K-2500 (3/4 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
2000-88	4WD K-2500 (3/4 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1998-88	4WD K-2500 (3/4 Ton) - 6 Lug w/ Rancho® RS6443 System	SINGLE	RS77401	—
1998-88	4WD K-2500 (3/4 Ton) - 8 Lug w/ Rancho® RS6469 System	SINGLE	RS77401	—
GMC — Pickup (3/4 Ton) 2 W.D. (Sierra, C & R Models)				
2008-01	2WD Sierra 2500HD (3/4 Ton) (9200 GVW) Pickup w/o OEM Mounts	SINGLE	RS77407	RS5548
GMC — Pickup (1 Ton) 4 W.D. (Sierra, K & V Models)				
2000-88	4WD K-3500 (1 Ton) w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
2000-88	4WD K-3500 (1 Ton) w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1998-88	4WD K-3500 (1 Ton) - 8 Lug w/ Rancho® RS6469 System	SINGLE	RS77401	—
GMC — Pickup S Models (Light Duty) 4 W.D. (Sonoma)				
2004-82	4WD S-15 Sonoma Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1997-82	4WD S-15 Sonoma Mid Size w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
GMC — Suburban 4 W.D. (Light Trucks)				
1998-92	4WD Suburban (3/4 Ton) - 8 Lug w/ Rancho® RS6469 System	SINGLE	RS77401	—
1997-92	4WD Suburban w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
1991-67	4WD Suburban - High Performance Stabilizer	SINGLE	RS77401	RS5509
GMC — Yukon XL 4 W.D.				
2006-00	4WD Yukon XL 2500 (3/4 Ton) (Up To 8600 GVW)	SINGLE	RS77407	RS5548
GMC — Yukon 4 W.D.				
2000-92	4WD Yukon w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1998-92	4WD Yukon w/ Rancho® RS6555 or RS6568 Suspension	SINGLE	RS77401	—
1998-92	4WD Yukon w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526
HUMMER — Hummer H2				
2009-03	H2	SINGLE	RS77407	RS5548
ISUZU — Amigo 2 W.D.				
1997-89	2WD Amigo	SINGLE	RS77401	—
JEEP — Grand Cherokee				
1998-93	ZJ Grand Cherokee All w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
JEEP — Pickup Comanche (MJ Series) 4 W.D.				
1992-86	4WD Comanche Mid Size w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
JEEP — Pickup Gladiator (JT Series)				
2020	Jeep Gladiator JT w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77420	—
2020	Jeep Gladiator JT	DUAL	RS77405	RS64102 ^{320,321}
JEEP — Wrangler (JK Series)				
2018-10	Wrangler JK 4WD w/ OEM Steering Damper (Bolts to O.E. Mounts — No Bracket Required)	SINGLE	RS77418	—
2018-07	Wrangler JK 4WD (High-Clearance Steering Stabilizer)	SINGLE	RS77401	RS64100 ^{320,321}
2018-07	Wrangler JK 4WD w/ Rancho System RS66105 or RS66105B Systems	SINGLE	RS77401	—
2018-07	Wrangler JK 4WD	DUAL	RS77405 ²	RS64102 ^{320,321}
2018-07	Wrangler JK 4WD w/ Rancho Track Bar Bracket RS62101	SINGLE	RS77401	RS64100 ^{320,321}
2009-07	Wrangler JK 4WD (High Clearance Steering Stabilizer)	SINGLE	RS77407	RS64100 ^{320,321}

³²⁰ Requires at least 2" tall front bump stop spacers. ³²¹ Requires a 2" minimum lift to use; Stabilizer protective boots can not be used. ² Quantity two required.

STEERING STABILIZERS

RANCHO RS7MT™ APPLICATION CHART

YEAR	MODEL	TYPE	RS7MT SHOCK	BRACKET
JEEP — Wrangler (JL Series)				
2020-18	Wrangler JL 4WD w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77420	—
2020-18	Wrangler JL 4WD	DUAL	RS77405	RS64102 ^{320,321}
JEEP — Wrangler (TJ Series)				
2006-97	4WD TJ Wrangler w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts) — Inc. Rubicon & Unlimited	SINGLE	RS77407	—
JEEP — Wrangler (YJ Series)				
1995-87	Wrangler YJ 4WD w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77407	—
LAND ROVER — Defender 90				
1989-84	90", 110" W.B. & Defender	SINGLE	RS77405	—
LAND ROVER — Range Rover				
1992-84	Range Rover 90" All	SINGLE	RS77405	—
NISSAN — Patrol 4 W.D.				
1994-89	4WD Patrol R (160/743 & 260/743)	SINGLE	RS77407	—
1989-80	160 (Built in Japan) & 260 (Built in Europe)	SINGLE	RS77407	—
1988-84	4WD Patrol R short, long — Inc. Diesel	SINGLE	RS77407	—
OLDSMOBILE — Bravada 4 W.D.				
1997-91	4WD Bravada w/ O.E. Steering Stabilizer (Bolts to O.E. Mounts)	SINGLE	RS77401	—
1997-91	4WD Bravada w/o O.E. Steering Stabilizer Mounts	SINGLE	RS77401	RS5526

NOTES:

³²⁰ Requires at least 2" tall front bump stop spacers. ³²¹ Requires a 2" minimum lift to use; Stabilizer protective boots can not be used.

STEERING STABILIZERS

BRING IT.

FREEDOM TO TACKLE ANY TERRAIN

